



XDP INTEGRATED FEED CLIENT SPECIFICATION

NYSE Arca Integrated, Pillar Architecture

Version

1.16a

Date

April 8, 2016

© 2016 NYSE. All rights reserved. No part of this material may be copied, photocopied or duplicated in any form by any means or redistributed without the prior written consent of NYSE. All third party trademarks are owned by their respective owners and are used with permission. NYSE and its affiliates do not recommend or make any representation as to possible benefits from any securities or investments, or third-party products or services. Investors should undertake their own due diligence regarding securities and investment practices. This material may contain forward-looking statements regarding NYSE and its affiliates that are based on the current beliefs and expectations of management, are subject to significant risks and uncertainties, and which may differ from actual results. NYSE does not guarantee that its products or services will result in any savings or specific outcome. All data is as of April 8, 2016. NYSE disclaims any duty to update this information.

PREFACE

DOCUMENT HISTORY

The following table provides a description of all changes to this document.

VERSION NO.	DATE	CHANGE DESCRIPTION
1.12	08/30/2013	Message Type 105 amended to state that total volume could be negative
1.13	09/12/2013	Addition of '9' – Corrected Last Sale Price in Table 11, TradeCond2. Updated the description "I" in Table 11, TradeCon4 to Odd Lot Trade
1.13a	10/01/2013	Section 1.5 Trading Sessions: amended all times listed as 4:15pm to 4:00pm
1.13b	03/26/2014	Added note to Attributed Add Order Message and Attributed Add Order Refresh message stating these are future enhancements.
1.13c	11/03/2014	Removed future enhancement notes from Attr Add, Attr Add Refresh Fixed imbalance times Removed references to NYSE & NYSE MKT (these are moving to v 2.0)
1.14	02/04/2015	Addition of support for Global OTC
1.15	06/18/2015	For OTC, renamed Unsolicited to Flags, converted it to a bit field; added Flags to Attributed messages (107 & 108)
1.15a	07/10/2015	Updated legal disclaimer for Global OTC on title page
1.15b	07/24/2015	Corrected publication times
1.16	11/06/2015	Revisions for Pillar architecture, removed OTC, which will not migrate to Pillar
1.16a	04/08/2016	Updated execution messaging for Pillar architecture

REFERENCE MATERIAL

The following lists the associated documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- XDP Common Client Specification
- [SFTI US Technical Specification](#)
- [SFTI US Customer Guide](#)
- [NYSE Symbology](#)

CONTACT INFORMATION

Service Desk

- Telephone: +1 212 383 3640 (International)
- Telephone: 866 873 7422 (Toll free, US only)
- Email: service.desk@nyx.com

FURTHER INFORMATION

For additional information about the product, visit the XDP Integrated Feed [Product Page](#)

For updated capacity figures, visit our capacity pages at: <http://www.nyxdata.com/capacity>

For details of IP addresses, visit our IP address pages at: <http://www.nyxdata.com/ipaddresses>

For a full glossary, visit: <http://www.nyxdata.com/glossary/>

CONTENTS

1.	XDP INTEGRATED FEED ORDER BOOK INFORMATION.....	5
1.1	Overview	5
1.2	Publication Times.....	5
1.3	Control Message Types	6
1.4	Refresh Message Types	7
1.5	Trading Sessions	7
2.	ORDER BOOK ADD ORDER MESSAGE – MSG TYPE ‘100’	8
3.	ORDER BOOK ATTRIBUTED ADD ORDER MESSAGE – MSG TYPE ‘107’	9
4.	ORDER BOOK MODIFY MESSAGE – MSG TYPE ‘101’	10
5.	ORDER BOOK DELETE MESSAGE – MSG TYPE ‘102’	11
6.	ORDER BOOK EXECUTION MESSAGE – MSG TYPE ‘103’	12
6.1	Order Book Execution Message Sending Rules	13
7.	ORDER BOOK ADD ORDER REFRESH MESSAGE – MSG TYPE ‘106’	14
8.	ORDER BOOK ATTRIBUTED ADD ORDER REFRESH MESSAGE – MSG TYPE ‘108’	15
9.	TRADE MESSAGE – MSG TYPE ‘220’	16
10.	TRADE CANCEL OR BUST MESSAGE – MSG TYPE ‘221’	19
11.	TRADE CORRECTION MESSAGE – MSG TYPE ‘222’	20
12.	STOCK SUMMARY MESSAGE – MSG TYPE ‘223’	22
13.	IMBALANCE MESSAGE– MSG TYPE ‘105’	23
13.1	Imbalance Calculation	25
13.2	Imbalance Publication Times	27
13.3	Message Sequence Example	27
14.	PRODUCT ID	28

1. XDP INTEGRATED FEED ORDER BOOK INFORMATION

1.1 OVERVIEW

The XDP Integrated feed provides a raw feed of the Exchange's order book for all traded securities. Traders will see the complete depth of book, all trade events, the stock security status, and stock imbalances. All of the data is sent in the order in which it occurs in the Matching Engine.

All message types defined in this document appear only in the main publication channels, except:

- The Imbalance and Add Order Refresh message types also appear in the Refresh channels.
- The Stock Summary message appears only in a dedicated Stock Summary channel.

1.2 PUBLICATION TIMES

Table 1 Normal Trading Days (all times are EST)

MSGTYPE	DESCRIPTION	NYSE ARCA
100	Add Order Message	4:00am – 8:00pm
107	Order Book Attributed Add Order Message	–
101	Modify Order Message	4:00am – 8:00pm
102	Delete Order Message	4:00am – 8:00pm
103	Execution Message	4:00am – 8:00pm
105	Imbalance Message	8:30am-Stock Open, 3:45pm- 4pm
106	Order Book Add Order Refresh Message	4am – 8pm
108	Order Book Attributed Add Order Refresh Message	–
220	Trade Message	4:00am – 8:00pm
221	Trade Cancel or Bust Message	4:00am – 8:00pm
222	Trade Correction Message	4:00am – 8:00pm
223	Stock Summary Message	4:00am – 8:00pm

Table 2 Early Closing Days (all times are EST)

MSGTYPE	DESCRIPTION	NYSE ARCA
100	Add Order Message	4am – 1pm
107	Order Book Attributed Add Order Message	–
101	Modify Order Message	4am – 1pm
102	Delete Order Message	4am – 1pm
103	Execution Message	4:00am – 1pm

MSGTYPE	DESCRIPTION	NYSE ARCA
105	Imbalance Message	8:30am-Stock Open, 12:45pm -1pm
106	Order Book Add Order Refresh Message	–
108	Order Book Attributed Add Order Refresh Message	3:30am – 4:15pm
220	Trade Message	4:00am – 1:00pm
221	Trade Cancel or Bust Message	4:00am – 1:00pm
222	Trade Correction Message	4:00am – 1:00pm
223	Stock Summary Message	4:00am – 1:00pm

1.3 CONTROL MESSAGE TYPES

Table 3 Control Message Types used in the Data Feed

MSGTYPE	DESCRIPTION
1	Sequence Number Reset
2	Time Reference Message
3	Symbol Index Mapping
10	Retransmission Request Message
11	Request Response Message
12	Heartbeat Response Message
13	Symbol Index Mapping Request Message
15	Refresh Request Message
31	Message Unavailable
32	Symbol Clear
33	Trading Session Change
34	Security Status Message
35	Refresh Header Message

1.4 REFRESH MESSAGE TYPES

Table 4 Refresh Message Types used in the Refresh Feed

MSGTYPE	DESCRIPTION
35	Refresh Header Message
3	Symbol Index Mapping
105	Imbalance Message
34	Security Status Message
33	Trading Session Change
106	Order Book Add Order Refresh Message
108	Order Book Attributed Add Order Message

1.5 TRADING SESSIONS

Table 5 Trading Sessions (all times are EST)

SESSION VALUE	DESCRIPTION	NYSE ARCA
0x01	Morning Hours	4:00am – 9:30am
0x02	National Hours	9:30am – 4:00pm
0x04	Late Hours	4:00pm – 8:00pm

2. ORDER BOOK ADD ORDER MESSAGE – MSG TYPE ‘100’

An Add Order message is published when a new visible order has been added to the book.

Note that when an order received by the matching engine is marked for a future session, it is not added to the order book, and no Add Order message is immediately published. Upon transition to the relevant future session, all such orders are added to the book, and Add Order messages are sent for them all at that time.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 31 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 100 – Add Order Message
SourceTimeNS	4	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time (EPOCH)
SymbolIndex	8	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	12	4	Binary	This field contains the symbol sequence number
OrderID	16	4	Binary	The Order ID identifies a unique order.
Price	20	4	Binary	The price point. Use the Price scale from the symbol-mapping index.
Volume	24	4	Binary	This field contains the order quantity in shares
Side	28	1	ASCII	This field indicates the side of the order Buy/Sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	29	1	Binary	This field specifies if Trade Order ID is a GTC order: <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
TradeSession	30	1	Bit Field	Values: <ul style="list-style-type: none"> ■ 0x01 Ok for morning hours ■ 0x02 Ok for national hours (core) ■ 0x03 OK for morning and core ■ 0x04 Ok for late hours ■ 0x06 OK for core and late ■ 0x07 OK for morning, core, and late

3. ORDER BOOK ATTRIBUTED ADD ORDER MESSAGE – MSG TYPE ‘107’

NOTE: This message type is left as a future enhancement for NYSE Arca. The current production Arca Integrated Feed does not send this message type.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	The size of the message: 36 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 107 – Attributed Add Order Message
SourceTimeNS	4	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time (EPOCH)
SymbolIndex	8	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	12	4	Binary	This field contains the symbol sequence number
OrderID	16	4	Binary	The Order ID identifies a unique order
Price	20	4	Binary	This field contains the price point. Use the Price scale from the symbol-mapping index.
Volume	24	4	Binary	This field contains the order quantity in shares
Side	28	1	ASCII	This field indicates the side of the order Buy/Sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	29	1	Binary	This field specifies if Trade Order ID is a GTC order: <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
TradeSession	30	1	Bit Field	Values: <ul style="list-style-type: none"> ■ 0x01 Ok for morning hours ■ 0x02 Ok for national hours (core) ■ 0x03 OK for morning and core ■ 0x04 Ok for late hours ■ 0x06 OK for core and late ■ 0x07 OK for morning, core, and late
FirmID	31	5	ASCII	This field provides market participant’s firm ID

4. ORDER BOOK MODIFY MESSAGE – MSG TYPE ‘101’

XDP Integrated feed sends this message when an order in the Order Book is modified. The Order ID refers to the original order sent in the add order message. The following events trigger a modify order message.

- The price of an order changes
- The size of an order changes
- An order is routed to an away market with some shares remaining in the Order Book

Note: If an away market declines a partially routed order, a Modify Order message is published to “add” the declined shares back to the resting portion of the order in the Order Book.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 31 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 101 – Modify Message
SourceTimeNS	4	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time (EPOCH)
SymbolIndex	8	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	12	4	Binary	This field contains the symbol sequence number
OrderID	16	4	Binary	The Order ID identifies a unique order.
Price	20	4	Binary	This field contains the price point. Use the Price scale from the symbol mapping index.
Volume	24	4	Binary	This field contains the order quantity in shares
Side	28	1	ASCII	This field indicates the side of the order Buy/sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	29	1	Binary	This field specifies if Trade Order ID is a GTC order: <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
ReasonCode	30	1	Binary	Currently unused and defaulted to 0. Modify Reason: <ul style="list-style-type: none"> ■ 5 – Change (lost position in book) ■ 6 – Routed (keep position in book) ■ 7 – Modify Fill keep position

5. ORDER BOOK DELETE MESSAGE – MSG TYPE ‘102’

XDP Integrated feed sends this message when an order is taken off of the order book. The following events will trigger the transmission of a delete order message:

- An order is cancelled
- An order expires
- An order is fully routed to an away market. **Note:** If the away market declines the Matching Engine preference, an Add Order message with the original Order ID will be sent to return the order to the Order Book.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 23 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 102 – Delete Message
SourceTimeNS	4	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time (EPOCH)
SymbolIndex	8	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	12	4	Binary	This field contains the symbol sequence number
OrderID	16	4	Binary	The Order ID identifies a unique order.
Side	20	1	ASCII	This field indicates the side of the order Buy/sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	21	1	Binary	This field specifies if Trade Order ID is a GTC order: <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
ReasonCode	22	1	Binary	Currently unused and defaulted to 0. Delete Reason: <ul style="list-style-type: none"> ■ 1 – User Cancel ■ 2 – Modify (taken off book, Order ID may add again) ■ 3 – Delete Filled

6. ORDER BOOK EXECUTION MESSAGE – MSG TYPE ‘103’

An Order Book Execution message is sent when a visible order is partially or fully executed. The Volume field indicates the executed quantity. If the Price field is different from the price of the order, any remaining shares keep their original price. If the Volume field equals the number of shares previously remaining in the order, then the order has been fully executed and should be removed from the book. If the order has been partially executed, further Order Execution messages for this Order ID may be published.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 34 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 103 – Execution Message
SourceTimeNS	4	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time (EPOCH)
SymbolIndex	8	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	12	4	Binary	This field contains the symbol sequence number
OrderID	16	4	Binary	The Order ID identifies a unique order.
Price	20	4	Binary	This field contains the price the order execution price. Use the Price scale from the symbol mapping index.
Volume	24	4	Binary	This field contains the order quantity in shares
OrderIDGTCIndicator	28	1	Binary	This field specifies if executed Order is a GTC order: <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
ReasonCode	29	1	Binary	Default: 0 See Section 6.1 for more information.
TradeID	30	4	Binary	The TradeID identifies a unique transaction in the matching engine and allows you to correlate Order Book Execution messages to Trade messages.

6.1 ORDER BOOK EXECUTION MESSAGE SENDING RULES

If the reason codes are set to zero, signifying that this feature has not yet been implemented, then the feed will disseminate the following:

1. In the event an order is partially filled, the data feed will first send an execution and a trade message followed by a modify message for the OrderID that has been partially executed. In the event an order receives multiple partial fills in the same transaction, the data feed will send one execution/trade message pair for each partial fill and a single modify following the final partial fill, which aggregates all the partial fills.
2. In the event an order is fully executed, the data feed will first send an execution and a trade message followed by a delete for the OrderID that has been fully executed. In the event an order receives multiple partial fills followed by a full fill in the same transaction, the data feed will send one execution/trade message pair for each partial fill, and a delete following the final full execution.

If the reason codes are not set to zero, then the data feed will only send the execution message with the appropriate reason code when a trade occurs

3. In the event an order is partially filled, the execution message will show a reason code value of "7" requiring that the corresponding Order ID should have its volume reduced by the volume amount on the execution message.
4. In the event an order is fully executed, the data feed will send an execution message with a reason code value of "3". The corresponding Order ID should then be removed from the book since the volume has been fully executed.

7. ORDER BOOK ADD ORDER REFRESH MESSAGE – MSG TYPE ‘106’

This message is published only during a refresh or after a symbol clear which will result in a book refresh.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 35 Bytes (future release)
Msg Type	2	2	Binary	This field identifies the type of message. 106 – Add Order Refresh Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time
SourceTimeNS	8	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary	This field contains the symbol sequence number
OrderID	20	4	Binary	The Order ID identifies a unique order.
Price	24	4	Binary	This field contains the price point. Use the Price scale from the symbol-mapping index.
Volume	28	4	Binary	This field contains the order quantity in shares
Side	32	1	ASCII	This field indicates the side of the order Buy/sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	33	1	Binary	This field specifies if Trade Order ID is a GTC order <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
TradeSession	34	1	Bit Field	Values: <ul style="list-style-type: none"> ■ 0x01 Ok for morning hours ■ 0x02 Ok for national hours (core) ■ 0x03 OK for morning and core ■ 0x04 Ok for late hours ■ 0x06 OK for core and late ■ 0x07 OK for morning, core, and late

8. ORDER BOOK ATTRIBUTED ADD ORDER REFRESH MESSAGE – MSG TYPE ‘108’

The current production Arca Integrated Feed does not publish this message type.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	The size of the message: 40 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 108 – Attributed Add Order Refresh Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time
SourceTimeNS	8	4	Binary	This field represents the nanosecond offset from the time reference second in UTC time
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary	This field contains the symbol sequence number
OrderID	20	4	Binary	The Order ID identifies a unique order.
Price	24	4	Binary	This field contains the price point. Use the Price scale from the symbol-mapping index.
Volume	28	4	Binary	This field contains the order quantity in shares
Side	32	1	ASCII	This field indicates the side of the order Buy/sell. Valid values: <ul style="list-style-type: none"> ■ ‘B’ – Buy ■ ‘S’ – Sell
OrderIDGTCIndicator	33	1	Binary	This field specifies if Trade Order ID is a GTC order <ul style="list-style-type: none"> ■ ‘0’ – Day Order ■ ‘1’- GTC Order
TradeSession	34	1	Bit Field	Values: <ul style="list-style-type: none"> ■ 0x01 Ok for morning hours ■ 0x02 Ok for national hours (core) ■ 0x03 OK for morning and core ■ 0x04 Ok for late hours ■ 0x06 OK for core and late ■ 0x07 OK for morning, core, and late
FirmID	35	5	Binary	This field provides market participant’s firm ID

9. TRADE MESSAGE – MSG TYPE ‘220’

A Trade message is published as a result of an execution involving either visible or hidden liquidity.

Trade messages published by the NYSE Arca Integrated feed correspond to Trade messages published by Arca to the CTA.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 54 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 220 – Trade Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH)
SourceTimeNS	8	4	Binary	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH)
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary	This field contains the symbol sequence number
TradeID	20	4	Binary	The TradeID identifies a unique transaction in the matching and allows you to correlate execution reports to the last sale.
Price	24	4	Binary	This field specifies the price of the order. Use the Price scale from the symbol mapping index.
Volume	28	4	Binary	Volume of the trade in actual shares
TradeCond1	32	1	ASCII	This field contains a settlement related conditions. Valid values: <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ 'C' – Cash ■ 'N' – Next Day Trade ■ 'R' – Seller
TradeCond2	33	1	ASCII	This field contains a the Reason for Trade Through Exemptions. Valid values:

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'F' – Intermarket Sweep Order ■ 'O' – Market Center Opening Trade ■ '4' – Derivatively Priced ■ '5' – Market Center Reopening Trade ■ '6' – Market Center Closing Trade ■ '9' – Corrected Last Sale Price
TradeCond3	34	1	ASCII	<p>This field contains extended hours/sequencing related conditions. Valid values:</p> <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'L' – Sold Last ■ 'T' – Extended Hours Trade ■ 'U' – Extended Hours Sold (Out of Sequence) ■ 'Z' – Sold
TradeCond4	35	1	ASCII	<p>This field contains the SRO Required Detail. Valid values:</p> <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ '0x20' – N/A ■ 'B' – Average Price Trade ■ 'E' – Automatic Execution ■ 'H' – Price Variation Trade ■ 'I' – Odd Lot Trade ■ 'M' – Official Closing Price ■ 'P' – Prior Indicative Match Price ■ 'Q' – Official Open Price ■ 'V' – Stock-Option Trade ■ 'X' – Cross Trade
Trade Through Exempt	36	1	ASCII	<ul style="list-style-type: none"> ■ 'X' – 611 Trade through Exempt ■ '0x20' – N/A
LiquidityIndicatorFlag	37	1	Binary	<p>This field indicates which side added liquidity to the trade. Bit Shift values:</p> <ul style="list-style-type: none"> ■ 0x01 Buy Side ■ 0x02 Sell Side ■ 0x04 No Liquidity added
Ask Price	38	4	Binary	<p>This field specifies the Ask price of the last quote at the time of the trade. Use the Price scale from the symbol</p>

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				mapping index.
Ask Volume	42	4	Binary	This field contains the Ask size of the last quote at the time of the trade
Bid Price	46	4	Binary	This field specifies the Bid price of the last quote at the time of the trade. Use the Price scale from the symbol mapping index.
Bid Volume	50	4	Binary	This field contains the Bid size of the last quote at the time of the trade

10. TRADE CANCEL OR BUST MESSAGE – MSG TYPE ‘221’

In the event that an earlier Trade has been reported in error, a Trade Cancel message is sent to delete the Trade.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 24 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 221 – Trade Cancel or Bust Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH)
SourceTimeNS	8	4	Binary	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH)
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary	This field contains the symbol sequence number
OriginalTradeID	20	4	Binary	This field is the TradeID of the original trade marked as a correction by this message.

11. TRADE CORRECTION MESSAGE – MSG TYPE ‘222’

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 41 Bytes
Msg Type	2	2	Binary	This field identifies the type of message. 222 – Trade Correction Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH)
SourceTimeNS	8	4	Binary	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH)
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary	This field contains the symbol sequence number
OriginalTradeID	20	4	Binary	This field is the source sequence number of the original trade marked as a correction by this message.
TradeID	24	4	Binary	The LinkID identifies a unique transaction in the matching and allows you to correlate execution reports to the last sale.
Price	28	4	Binary	This field specifies the price of the order. Use the Price scale from the symbol mapping index.
Volume	32	4	Binary	Volume of the trade in actual shares
TradeCond1	36	1	ASCII	This field contains a settlement related conditions. Valid values: <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ 'C' – Cash ■ 'N'– Next Day Trade ■ 'R' – Seller
TradeCond2	37	1	ASCII	This field contains a the Reason for Trade Through Exemptions. Valid values: <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'F' – Intermarket Sweep Order

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ 'O' – Market Center Opening Trade ■ '4' – Derivatively Priced ■ '5' – Market Center Reopening Trade ■ '6' – Market Center Closing Trade
TradeCond3	38	1	ASCII	<p>This field contains extended hours/sequencing related conditions. Valid values:</p> <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'L' – Sold Last ■ 'T' – Extended Hours Trade ■ 'U' – Extended Hours Sold (Out of Sequence) ■ 'Z' – Sold
TradeCond4	39	1	ASCII	<p>This field contains the SRO Required Detail. Valid values:</p> <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ '0x20' – N/A ■ 'B' – Average Price Trade ■ 'E' – Automatic Execution ■ 'H' – Price Variation Trade ■ 'I' – Odd Lot Trade ■ 'M' – Official Closing Price ■ 'P' – Prior Indicative Match Price ■ 'Q' – Official Open Price ■ 'V' – Stock-Option Trade ■ 'X' – Cross Trade
Trade Through Exempt	40	1	ASCII	<p>'X' – 611 Trade through Exempt '0x20' – N/A</p>

12. STOCK SUMMARY MESSAGE – MSG TYPE ‘223’

The stock summary message is sent on a separate channel from the main feed every one minute, regardless of whether the information has changed to or not.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	Size of the message: 36 bytes
Msg Type	2	2	Binary	This field identifies the type of message. 223 – Stock Summary Message
SourceTime	4	4	Binary	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH)
SourceTimeNS	8	4	Binary	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH)
SymbolIndex	12	4	Binary	This field identifies the numerical representation of the symbol.
HighPrice	16	4	Binary	This field specifies the exchange high price of the stock for the day. Use the Price scale from the symbol mapping index.
LowPrice	20	4	Binary	This field specifies the exchange Low price of the stock for the day. Use the Price scale from the symbol mapping index.
Open	24	4	Binary	This field specifies the exchange Opening price of the stock for the day. Use the Price scale from the symbol mapping index.
Close	28	4	Binary	This field specifies the exchange Closing price of the stock for the day. Use the Price scale from the symbol mapping index.
TotalVolume	32	4	Binary	This field specifies the exchange cumulative volume for the stock throughout the day.

13. IMBALANCE MESSAGE– MSG TYPE ‘105’

Imbalance messages are sent periodically to update price and volume information during auctions.

See Imbalance Calculation below for more information.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary	The size of the message: 52 Bytes
Msg Type	2	2	Binary	The type of message. 105 – Imbalance Message
SourceTime	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
SourceTimeNS	8	4	Binary	The nanosecond offset from the Source Time
SymbolIndex	12	4	Binary	The ID of the symbol in the Symbol Index msg
SymbolSeqNum	16	4	Binary	The sequence number of this message in the set of all messages for this symbol
IndicativeMatchPrice	20	4	Binary	The best price at which the maximum volume of shares is executable in the applicable auction, subject to Auction Collars. It includes the non-displayed quantity of Reserve Orders. See Table 6 for further details.
PairedQty	24	4	Binary	The number of shares paired off at the Indicative Match Price.
TotalImbalanceQty	28	4	Signed Binary	The total imbalance quantity at the Indicative Match Price. If the value is negative, the imbalance is on the Sell side, otherwise, the Buy side.
MarketImbalanceQty	32	4	Signed Binary	The total market order imbalance at the Indicative Match Price. If the value is negative, the imbalance is on the Sell side, otherwise, the Buy side.
AuctionTime	36	2	Binary	Projected Auction Time (hhmm)
AuctionType	38	1	ASCII	<ul style="list-style-type: none"> ■ ‘O’ – Early Opening Auction ■ ‘M’ – Core Opening Auction ■ ‘H’ – Reopening Auction (Halt resume) ■ ‘C’ – Closing Auction ■ ‘R’ – Regulatory Imbalance
ImbalanceSide	39	1	ASCII	This field indicates the side of the imbalance Buy/sell. Valid Values:

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ 'B' – Buy ■ 'S' – Sell ■ Space – No imbalance Future enhancement. Currently defaulted to 0.
ContinuousBook ClearingPrice	40	4	Binary	Not supported, defaulted to 0.
ClosingOnly ClearingPrice	44	4	Binary	Not supported, defaulted to 0.
SSRFilingPrice	48	4	Binary	Not supported, defaulted to 0.

13.1 IMBALANCE CALCULATION

NYSE Arca conducts three single-price auctions during the day: the Early Opening Auction, the Core Opening Auction and the Closing Auction. As a part of the auction process, the indicative match price, matched volume, total imbalance, and market imbalance are disseminated every second if there is any change from the previous second.

NYSE Arca Auction-Eligible Securities

AUCTION TYPES	ELIGIBLE SECURITIES
Early Opening Auction Core Opening Auction Closing Auction	<ul style="list-style-type: none"> ■ NYSE Arca-listed securities ■ UTP securities designated as eligible by the NYSE Group
Trading Halt Auctions	<ul style="list-style-type: none"> ■ NYSE Arca-listed securities

Table 6 Imbalance Calculation

AUCTION TYPE	DESCRIPTION
Early Opening Auction	<p>Interest Included</p> <ol style="list-style-type: none"> 1. Limit Orders designated for the Early Trading Session. 2. During the last minute before the Early Opening Auction time, the non-displayed quantity of Reserve Orders designated for the Early Open Auction is included in the Matched Volume and Total Imbalance Volume. <p>Order Cancellation</p> <p>Orders can be cancelled at any time up to the conclusion of the auction.</p> <p>Calculation</p> <ul style="list-style-type: none"> ■ The Early Opening Auction occurs at the Indicative Match Price. ■ If two or more prices can maximize executable volume, the Early Opening Auction occurs at whichever price is closest to the previous closing price in an effort to maintain continuity. ■ Unexecuted orders become eligible for the Opening Session immediately upon conclusion of the Early Opening Auction.

AUCTION TYPE	DESCRIPTION
Core Opening Auction	<p>Interest Included</p> <ol style="list-style-type: none"> 1. Limit, Market, MOO, LOO and Primary Peg orders 2. During the last 5 seconds before the Core Opening Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume. <p>Order Cancellation</p> <p>Orders can be cancelled any time during the auction, except for MOO and LOO orders which can be cancelled only up to 1 minute before the conclusion of the auction.</p> <p>Calculation</p> <ul style="list-style-type: none"> ■ The match price is the price that maximizes the volume that can be executed. ■ If two or more prices can maximize executable volume, the Core Opening Auction occurs at whichever price is closest to the previous closing price in an effort to maintain continuity.
Closing Auction	<p>Interest Included</p> <ol style="list-style-type: none"> 1. Limit, Market, MOC, LOC and Primary Peg orders 2. During the last minute before the Closing Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume. <p>Calculation</p> <ul style="list-style-type: none"> ■ Orders will be executed in the Closing Auction at the Indicative Match Price <p>Further rules for NYSE Arca</p> <ul style="list-style-type: none"> ■ If there are multiple prices at which the total imbalance can equally execute, the indicative price will be based on the price closest to the Consolidated Tape last sale. ■ If the price closest to the Consolidated Tape last sale would trade through the NYSE Arca Book, the indicative match price will be the best price available where no trade through occurs.

13.2 IMBALANCE PUBLICATION TIMES

Imbalance updates are published in real time during the following time periods

Table 7 Imbalance Publication Times

AUCTION TYPE	NYSE ARCA
Early Opening Auction	3:30 a.m. ET - 4:00 a.m. ET
Core Opening Auction	8:00a.m. ET - 9:30 a.m. ET
Closing Auction	3:00 p.m. ET - 4:00 p.m. ET

13.3 MESSAGE SEQUENCE EXAMPLE

Events with Add Order Messages:

- A) 100 share Buy Order entered at \$49.99 for stock ABC
- B) 400 share Sell Order entered at \$30.00 for stock XYZ
- C) 100 share execution ABC at\$49.99 for Stock ABC
- D) 200 share cancel at \$30.00 for stock XYZ
- E) Time Reference Message Stock XYZ

Based on the example above, the following would be the following messages received

EVENT	MSGSEQNUM	MSGTYPE	SYMBOLSEQNUM	SYMBOL	MESSAGE
A	1	100	50	ABC	Add Order
B	2	100	32	XYZ	Add Order
C	4	103	52	ABC	Execution
D	5	220	53	ABC	Trade
E	6	101	54	ABC	Delete
F	7	102	33	XYZ	Modify
G	8	2	34	XYZ	Time Reference

14. PRODUCT ID

Table 8 describes the Product ID associated with NYSE Arca Integrated Feed.

Table 8 Product ID

EXCHANGE	PRODUCT ID	DESCRIPTION
NYSE Arca	157	NYSE Arca Integrated Feed