



---

## **NYSE BEST TRADE AND QUOTE CLIENT SPECIFICATION**

**NYSE  
NYSE AMERICAN  
NYSE ARCA  
NYSE NATIONAL**

**Version**  
2.1b

**Date**  
May 2, 2018

© Copyright 2018 Intercontinental Exchange, Inc. ALL RIGHTS RESERVED. INTERCONTINENTAL EXCHANGE, INC. AND ITS AFFILIATES WHICH INCLUDE THE NEW YORK STOCK EXCHANGE, ("ICE" AND "NYSE") MAKE NO WARRANTY WHATSOEVER AS TO THE PRODUCT DESCRIBED IN THESE MATERIALS EXPRESS OR IMPLIED, AND THE PRODUCT IS PROVIDED ON AN "AS IS" BASIS. ICE AND NYSE EXPRESSLY DISCLAIM ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NEITHER ICE, NYSE NOR THEIR RESPECTIVE DIRECTORS, MANAGERS, OFFICERS, AFFILIATES, SUBSIDIARIES, SHAREHOLDERS, EMPLOYEES OR AGENTS MAKE ANY WARRANTY WITH RESPECT TO, AND NO SUCH PARTY SHALL HAVE ANY LIABILITY FOR (i) THE ACCURACY, TIMELINESS, COMPLETENESS, RELIABILITY, PERFORMANCE OR CONTINUED AVAILABILITY OF PRODUCT, OR (ii) DELAYS, OMISSIONS OR INTERRUPTIONS THEREIN. ICE AND NYSE DO NOT, AND SHALL HAVE NO DUTY OR OBLIGATION TO, VERIFY, MONITOR, CONTROL OR REVIEW ANY INFORMATION IN RELATION TO THE PRODUCT.

## PREFACE

---

### DOCUMENT HISTORY

VERSION NO.	DATE	CHANGE DESCRIPTION
1.7	May 12, 2016	Consolidated Security Status message expanded to support changes in input markets. New fields are added to the end of the previous message structure for backward compatibility. Removed Trade Conditions 4,B,P,V,X (obsolete in all input markets)
1.7a	June 1, 2016	Corrected list of Security Status field values to include O, P, and X, exclude ~ and E
2.1	July 24, 2017	Replaced NYSE MKT with NYSE American Added explanatory text about the Trading Session Change message, type 33 Added E and L to Security Status and Market Status fields in Security Status msg Removed Trade Thru, Liquidity, Ask Price & Volume, Bid Price & Volme from Trade Removed Trade Through Exempt from Trade Correction msg
2.1a	April 4, 2018	NYSE National: Added product ID 10 to Market ID fields, 'C' to SSR Exchange fld
2.1b	May 2, 2018	Corrected length of Total Volume field to 8 bytes in Consolidated Volume msg (240).

### REFERENCE MATERIAL

The following lists the associated documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- [XDP Common Client Specification](#)
- [SFTI Information](#)
- [NYSE Symbology](#)
- [IP Addresses](#)

### CONTACT INFORMATION

#### Service Desk

- Telephone: +1 212 896-2830
- Email: [support@nyse.com](mailto:support@nyse.com)

### FURTHER INFORMATION

For additional information about the product, visit the [NYSE BQT Product Page](#)

For updated capacity figures, visit our capacity pages at: <http://www.nyxdata.com/capacity>

# CONTENTS

---

- 1. NYSE BQT INTRODUCTION ..... 4**
  - 1.1 Overview ..... 4
  - 1.2 Trades Feed ..... 4
  - 1.3 Best Bid/Offer (BBO) Feed ..... 4
  - 1.4 Consolidated Volume Feed ..... 4
  - 1.5 Special Cases ..... 4
    - 1.5.1 Note on Symbol Index Mapping Message (type 3) ..... 4
    - 1.5.2 Note on Market IDs ..... 5
  - 1.6 Trading Session Times ..... 5
  - 1.7 Control Message Types Used in NYSE BQT ..... 5
- 2. QUOTE MESSAGES ..... 6**
  - 2.1 Consolidated Symbol Clear Message – Msg Type ‘32’ ..... 6
  - 2.2 Consolidated Trading Session Change Message – Msg Type 33 ..... 7
  - 2.3 Consolidated Security Status Message – Msg Type 34 ..... 8
  - 2.4 BQT Message – Msg Type 142 ..... 11
  - 2.5 Consolidated Single-Sided Quote Message – Msg Type 143 ..... 12
- 3. TRADE MESSAGES ..... 13**
  - 3.1 Consolidated Trade Message – Msg Type 220 ..... 13
  - 3.2 Consolidated Trade Cancel/Bust Message – Msg Type 221 ..... 15
  - 3.3 Consolidated Trade Correction Message – Msg Type 222 ..... 16
  - 3.4 Consolidated Stock Summary Message – Msg Type 229 ..... 18
- 4. CONSOLIDATED VOLUME MESSAGE ..... 19**
- 5. PRODUCT ID AND MARKET ID ..... 20**

## 1. NYSE BQT Introduction

---

To receive the NYSE BQT feeds, clients subscribe to redundant pairs of multicast groups to receive real-time market data messages. In order to recover from errors (sequence number gaps, late starts, client feed handler failures, etc.) clients can connect to a TCP/IP server and request retransmissions and refresh data, which is delivered over additional multicast channels.

For full details refer to the XDP Common Client Specification. For specific IP addresses, please refer to <http://www.nyxdata.com/ipaddresses>.

### 1.1 OVERVIEW

The NYSE BQT product is a real-time market data feed that provides a unified view of Best Bid/Offer and Trades/Last Sale executions for the entire NYSE Group (NYSE, NYSE American, NYSE Arca, and NYSE National). It covers all NYSE Arca ETFs in a single view and displays all U.S. exchange listed stock updates traded on the NYSE Group. (To view the individual Client Specifications for these feeds, see <https://www.nyse.com/market-data/real-time>)

The Best Bid/Offer (BBO) and Trades data is especially helpful for portfolio managers, wealth managers, retail investors, and back office employees who need to understand the indicative price of a security through leveraging the depth and breadth of our markets.

BQT consists of three independent data feeds:

- **Trades**
- **Best Bid/Offer (BBO)**
- **Consolidated Volume**

### 1.2 TRADES FEED

Trades data is delivered in its own dedicated feed with Product ID 25. It consists of 2 subsets of channelized data:

- Trades Data (1 channel) includes Tick-by-tick price and size, Trading Conditions, and Market ID
- Stock Summary Data (1 channel) includes Open, High, Low, Last and Aggregated Volume

### 1.3 BEST BID/OFFER (BBO) FEED

BBO data is delivered in its own dedicated feed with Product ID 26. It consists of 2 subsets of channelized data:

- a) BBO Data (channels 1-4) includes Bid/Ask Price, Bid/Ask Size, Quote Condition, Market ID.
- b) Consolidated Volume Data (channels 5-12)

### 1.4 CONSOLIDATED VOLUME FEED

Consolidated Volume data is derived from SIP data (CTA and UTP). The information in it contains input from all SIP participant exchanges, not just the NYSE Group exchanges. For this reason, Consolidated Volumes will not match the Aggregated Volumes published in the BQT Stock Summary channel.

There are 8 Consolidated Volume channels, with channel IDs 5 to 12.

- Channels 5 to 8 publish NYSE-, Arca- and American-listed stocks and 9 to 12 publish NASDAQ-listed stocks. Within each 4-channel market group, messages are channelized in alphabetic symbol ranges.
- Only message types 240 (Consolidated Volume Message) and 34 (Consolidated Security Status Message) are published on the consolidated volume channels.
- There are retrans and refresh channels for each of the live consolidated volume channels.

Refresh is available for the consolidated volume channels, it will however contain only message types 240 and 34, no symbol index mappings are available from either live or refresh consolidated volume channels. Symbol index mappings need to be taken from either the trades or the BBO lines.

### 1.5 SPECIAL CASES

#### 1.5.1 Note on Symbol Index Mapping Message (type 3)

More than one Symbol Index Mapping message may be published for the same symbol in the same feed. In this case the data in the most recent message should supersede anything previously published.

The Price Scale Code field in the Symbol Index Mapping message published in the Trades feed may be different from the one published in the BBO feed.

When published from NYSE BQT, the Symbol Index Mapping message (for details see the XDP Common Client Specification) has values of zero ('0') for the Market ID, System ID, Prev Close Price, and Prev Close Volume fields.

### 1.5.2 Note on Market IDs

The Market ID 0 (NYSE Group, or BQT) can appear in certain BQT messages when no valid information is available from any upstream market. For example, an empty quote can occur when there is no valid quote available for a certain instrument because all existing quotes have been cancelled or are not eligible for BBO calculations. In this case the Market ID field will contain 0.

## 1.6 TRADING SESSION TIMES

### Trading Session Times for Normal Days (US Eastern Time)

DESCRIPTION	NYSE	NYSE AMERICAN	NYSE ARCA AND NATIONAL
Consolidated Symbol Clear Message Symbol Index Mapping Messages	12:30am	12:30am	12:30am
Early Open Auction	n/a	7:00am	4:00am
Core Open Auction and Open	9:30am	9:30am	9:30am
Closing Auction and Close	4:00pm	4:00pm	4:00pm
End of Late Session	n/a	8:00pm	8:00pm

On early closing days for all markets, the Core session ends at 1:00pm, and there is no Late session.

## 1.7 CONTROL MESSAGE TYPES USED IN NYSE BQT

The set of control messages used in NYSE BQT follows. For further details, refer to the XDP Common Client Specification.

MSGTYPE	DESCRIPTION
1	Sequence Number Reset Message
3	Symbol Index Mapping Message
10	Retransmission Request Message
11	Request Response Message
12	Heartbeat Response Message
13	Symbol Index Mapping Request Message
15	Refresh Request Message
31	Message Unavailable Message
32	Consolidated Symbol Clear Message
33	Consolidated Trading Session Change Message
34	Consolidated Security Status Message
35	Refresh Header Message

## 2. Quote Messages

---

### BBO Rules

The “best” quote-side (bid or offer) is determined by Price/Volume/Time rules:

1. The best quote-side is the bid with the highest price or the offer with the lowest price
2. If the prices are equal, the best quote-side is the one with the highest volume
3. If prices and volumes are equal, the best quote-side is the one that was received by the NYSE BQT publisher first

### 2.1 CONSOLIDATED SYMBOL CLEAR MESSAGE – MSG TYPE ‘32’

In case of a failure and recovery of an upstream Matching Engine or XDP Publisher, the publisher may send a full state refresh for every symbol affected. This kind of unrequested refresh is preceded by a Symbol Clear message. The client should react to receipt of a Symbol Clear message by clearing all state information for the specified symbol in anticipation of receiving a full state refresh.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 22 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>▪ 32 – Consolidated Symbol Clear</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Next Source Seq Number</b>	16	4	Binary	The source sequence number value that the recipient should expect in the immediately succeeding data packet for the specified symbol.
<b>Market ID</b>	20	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>▪ 0 – NYSE Group (BQT)</li> <li>▪ 1 – NYSE</li> <li>▪ 3 – NYSE Arca</li> <li>▪ 9 – NYSE American</li> <li>▪ 10 – NYSE National</li> </ul>

## 2.2 CONSOLIDATED TRADING SESSION CHANGE MESSAGE – MSG TYPE 33

This message is sent on both the BBO feed and the Trades feed from the Arca market only.

This message notifies clients of an Arca trading session change for a specific symbol on a specific exchange.

Trading session changes in other markets are notified using the Consolidated Security Status message, type 34.

In a future release, Arca will adopt the use of Security Status notifications, and this message type will be eliminated.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 23 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>32 – Consolidated Symbol Clear</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Trade Session</b>	20	1	Binary	A Trading Session can be a combination of the three-bit values: <ul style="list-style-type: none"> <li>0x01 – Ok for morning hours</li> <li>0x02 – Ok for national hours (core)</li> <li>0x04 – Ok for late hours</li> </ul>
<b>Market ID</b>	21	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>3 – NYSE Arca</li> </ul>

## 2.3 CONSOLIDATED SECURITY STATUS MESSAGE – MSG TYPE 34

This message is sent on both the BBO feed and the Trades feed.

This message will be sent to inform the subscribers of Trading Halts on the securities traded. The Market ID allows clients to know which exchange is involved.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 46 bytes
<b>Msg Type</b>	2	2	Binary	The type of this message 34 – Consolidated Security Status message
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Security Status</b>	20	1	ASCII	<p>The new status that this security is transitioning to.</p> <p>The following are Halt Status Codes:</p> <ul style="list-style-type: none"> <li>▪ '3' - Opening Delay (NYSE only)</li> <li>▪ '4' - Trading Halt</li> <li>▪ '5' - Resume</li> <li>▪ '6' - No open/no resume (NYSE only)</li> </ul> <p>The following are Short Sale Restriction Codes:</p> <ul style="list-style-type: none"> <li>▪ 'A' – Short Sale Restriction Activated (Day 1)</li> <li>▪ 'C' – Short Sale Restriction Continued (Day 2)</li> <li>▪ 'D' - Short Sale Restriction Deactivated</li> </ul> <p>NYSE Market State values:</p> <ul style="list-style-type: none"> <li>▪ 'P' – Pre-opening</li> <li>▪ 'E' – Early</li> <li>▪ 'O' – Opened</li> <li>▪ 'L' – Late</li> <li>▪ 'X' – Closed</li> </ul> <p>The following values are the Price Indication values:</p> <ul style="list-style-type: none"> <li>▪ 'T' – T - Time</li> <li>▪ 'I' – Price Indication</li> <li>▪ 'G' – Pre-Opening Price Indication</li> <li>▪ 'R' – Rule 15 Indication.</li> </ul>
<b>Halt Condition</b>	21	1	ASCII	<ul style="list-style-type: none"> <li>▪ 0x20 – Not applicable</li> <li>▪ '-' – Security not delayed/halted</li> <li>▪ 'D' – News dissemination</li> <li>▪ 'I' – Order imbalance</li> <li>▪ 'P' – News pending</li> <li>▪ 'M' – Volatility Trading Pause</li> <li>▪ 'X' – Equipment changeover</li> <li>▪ 'Z' – No open/No resume</li> </ul>



FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
				Market Wide Circuit Breakers: <ul style="list-style-type: none"> <li>▪ '1' - Market Wide Circuit Breaker Halt Level 1</li> <li>▪ '2' - Market Wide Circuit Breaker Halt Level 2</li> <li>▪ '3' - Market Wide Circuit Breaker Halt Level 3</li> </ul>
<b>Market ID</b>	22	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>▪ 0 – NYSE Group (BQT)</li> <li>▪ 1 – NYSE</li> <li>▪ 3 – NYSE Arca</li> <li>▪ 9 - NYSE American</li> <li>▪ 10 - NYSE National</li> </ul>
<b>Reserved</b>	24	2	Binary	Future use. Any field content should be ignored.
<b>Price 1</b>	26	4	Binary	Default value is 0. <ul style="list-style-type: none"> <li>▪ If securityStatus = 'A', then this is the SSR Triggering Trade Price</li> <li>▪ If securityStatus = 'G', then this is Pre-Opening Low Price Indication.</li> <li>▪ If securityStatus = 'I', then this is Low Price Indication</li> <li>▪ If securityStatus = 'R', then this is Rule 15 Low Indication Price.</li> </ul>
<b>Price 2</b>	30	4	Binary	Default value is 0 <ul style="list-style-type: none"> <li>▪ If securityStatus = 'I', then this is High Price Indication</li> <li>▪ If securityStatus = 'G', then this is Pre-Opening Price Indication</li> <li>▪ If securityStatus = 'R', then this is Rule 15 High Price Indication</li> </ul>
<b>SSR Triggering Exchange ID</b>	34	1	ASCII	This field is only populated when securityStatus = 'A', and otherwise is defaulted to '0x20'. Valid values are: <ul style="list-style-type: none"> <li>▪ 'N' – NYSE</li> <li>▪ 'P' – NYSE Arca</li> <li>▪ 'Q' – NASDAQ</li> <li>▪ 'A' – NYSE American</li> <li>▪ 'B' – NASDAQ OMX BX</li> <li>▪ 'C' – NYSE National</li> <li>▪ 'D' – FINRA</li> <li>▪ 'I' – ISE</li> <li>▪ 'J' – EDGA</li> <li>▪ 'K' – EDGX</li> <li>▪ 'M' – CHX</li> <li>▪ 'S' – CTS</li> <li>▪ 'T' – NASDAQ OMX</li> <li>▪ 'W' – CBSX</li> <li>▪ 'X' – NASDAQ OMX PSX</li> <li>▪ 'Y' – BATS Y</li> <li>▪ 'Z' – BATS</li> </ul>
<b>SSR Triggering</b>	35	4	Binary	Default value is 0.

<b>Volume</b>				This field is only populated when securityStatus = 'A'
<b>Time</b>	39	4	Binary	<p>Format : HHMMSSmmm (mmm = milliseconds)</p> <ul style="list-style-type: none"> <li>▪ If securityStatus = 'A' , then this is SSR Trigger Time</li> <li>▪ If securityStatus = 'T', then it is T-Time (mmm always = 000)</li> </ul> <p>Default value is 0.</p>
<b>SSRState</b>	43	1	ASCII	<p>The current SSR state, which this msg updates if the Security Status field contains an SSR Code. Valid values:</p> <ul style="list-style-type: none"> <li>▪ '~' – No Short Sale Restriction in Effect</li> <li>▪ 'E' – Short Sale Restriction in Effect</li> </ul> <p>Default value is 0.</p>
<b>MarketState</b>	44	1	ASCII	<p>The current Market State, which this msg updates if the Security Status field contains a Market State Code. Valid values:</p> <ul style="list-style-type: none"> <li>▪ 'E' – Early</li> <li>▪ 'L' - Late</li> <li>▪ 'O' – Opened</li> <li>▪ 'P' – Pre-Opening</li> <li>▪ 'X' – Closed</li> </ul> <p>Default value is 0.</p>
<b>SessionState</b>	45	1	ASCII	<p>The current Session State. Valid values:</p> <ul style="list-style-type: none"> <li>▪ 'X' – Early Session State</li> <li>▪ 'Y' – Core Session State</li> <li>▪ 'Z' – Late Session State</li> </ul> <p>Default value is 0.</p>

## 2.4 BQT MESSAGE – MSG TYPE 142

This message is sent when an event causes a change in one or both sides of the BBO. The output shows changes to BBO only. Individual market quotes that do not affect the BBO are not disseminated.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 35 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>142 – BQT Message</li> </ul>
<b>Symbol Index</b>	4	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Ask Price</b>	12	4	Binary	The Ask price. Use the Price scale from the symbol mapping index.
<b>Ask Volume</b>	16	4	Binary	The Ask size.
<b>Bid Price</b>	20	4	Binary	The Bid price. Use the Price scale from the symbol mapping index.
<b>Bid Volume</b>	24	4	Binary	The Bid size.
<b>Ask Quote Condition</b>	28	1	ASCII	<ul style="list-style-type: none"> <li>'C' - Closing</li> <li>'O' - Opening Quote</li> <li>'R' - Regular Quote</li> <li>'W' - Slow on the Bid and Ask due to Set Slow List</li> </ul>
<b>Bid Quote Condition</b>	29	1	ASCII	<ul style="list-style-type: none"> <li>'C' - Closing</li> <li>'O' - Opening Quote</li> <li>'R' - Regular Quote</li> <li>'W' - Slow on the Bid and Ask due to Set Slow List</li> </ul>
<b>Retail Pricing Indicator</b>	30	1	Binary	Bit field: <ul style="list-style-type: none"> <li>0x00 No Retail Interest</li> <li>0x01 Retail Interest on the Bid side</li> <li>0x02 Retail Interest on the Ask side</li> <li>0x03 Retail Interest on Bid &amp; Ask side</li> </ul>
<b>Market ID of Best Ask</b>	31	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>
<b>Market ID of Best Bid</b>	33	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>

## 2.5 CONSOLIDATED SINGLE-SIDED QUOTE MESSAGE – MSG TYPE 143

This message is sent when an event causes a change in only one side of a BBO.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 25 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>143 – Consolidated Single-Sided Quote</li> </ul>
<b>Symbol Index</b>	4	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Side</b>	12	1	ASCII	The side of the order - Buy/Sell. Valid values: <ul style="list-style-type: none"> <li>'B' – Buy</li> <li>'S' – Sell (Offer)</li> </ul>
<b>Price</b>	13	4	Binary	The price. Use the PriceScaleCode in the Symbol Mapping msg). See the <b>XDP Common Client Specification</b> .
<b>Volume</b>	17	4	Binary	The order quantity in shares.
<b>Quote Condition</b>	21	1	ASCII	<ul style="list-style-type: none"> <li>'C' - Closing</li> <li>'O' - Opening Quote</li> <li>'R' - Regular Quote</li> <li>'W' - Slow on the Bid and Ask due to a "Set Slow List"</li> <li>0x00 - empty quote (there is no BBO available for the given instrument)</li> </ul>
<b>Retail Pricing Indicator</b>	22	1	ASCII	Bit field: <ul style="list-style-type: none"> <li>0x00 No Retail Interest</li> <li>0x01 – Retail Interest on the Bid side</li> <li>0x02 – Retail Interest on the Ask side</li> <li>0x03 – Combination of Retail Interest on Bid &amp; Ask side</li> </ul>
<b>Market ID</b>	23	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>

### 3. Trade Messages

Several message types that appear in the Trades feed are sent on both the Trades and the BBO feeds, and are documented under BBO Messages. These message types are:

- [Consolidated Symbol Clear Message – Msg Type 32](#)
- [Consolidated Trading Session Change Message – Msg Type 33](#)
- [Consolidated Security Status Message – Msg Type 34](#)

#### 3.1 CONSOLIDATED TRADE MESSAGE – MSG TYPE 220

The Trade messages provided on the Trades feed are the same Trade messages provided to the CTA. All Trades are passed through and marked with the originating Market ID.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 38 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>▪ 220 – Consolidated Trade message</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Trade ID</b>	20	4	Binary	The unique Trade ID assigned by the source system
<b>Price</b>	24	4	Binary	The price of the trade. Use the Price scale from the Symbol Mapping msg.
<b>Volume</b>	28	4	Binary	Volume of the trade.
<b>Trade Condition 1</b>	32	1	ASCII	Settlement related conditions. <ul style="list-style-type: none"> <li>▪ '@' – Regular Sale</li> <li>▪ 'C' – Cash</li> <li>▪ 'N' – Next Day Trade</li> <li>▪ 'R' – Seller</li> </ul>
<b>Trade Condition 2</b>	33	1	ASCII	The reason for Trade Through Exemptions. <ul style="list-style-type: none"> <li>▪ '0x20' – N/A</li> <li>▪ 'F' – Intermarket Sweep Order</li> <li>▪ 'O' – Market Center Opening Trade</li> <li>▪ '5' – Market Center Reopening Trade</li> <li>▪ '6' – Market Center Closing Trade</li> <li>▪ '9' – Corrected Last Sale Price</li> </ul>
<b>Trade Condition 3</b>	34	1	ASCII	Extended hours/sequencing related conditions <ul style="list-style-type: none"> <li>▪ '0x20' – N/A</li> <li>▪ 'L' – Sold Last</li> <li>▪ 'T' – Extended Hours Trade</li> <li>▪ 'U' – Extended Hours Sold (Out of Sequence)</li> <li>▪ 'Z' – Sold</li> </ul>
<b>Trade Condition 4</b>	35	1	ASCII	SRO Required Detail. <ul style="list-style-type: none"> <li>▪ '@' – Regular Sale</li> <li>▪ '0x20' – N/A</li> <li>▪ 'E' – Automatic Execution</li> </ul>

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> <li>▪ 'H' – Price Variation Trade</li> <li>▪ 'I' – Odd Lot Trade</li> <li>▪ 'K' – Rule 127 (NYSE only) or Rule 155 (NYSE American Only)</li> <li>▪ 'M' – Official Closing Price</li> <li>▪ 'Q' – Official Open Price</li> </ul>
<b>Market ID</b>	36	2	Binary	<p>The ID of the Originating Market:</p> <ul style="list-style-type: none"> <li>▪ 0 – NYSE Group (BQT)</li> <li>▪ 1 – NYSE</li> <li>▪ 3 – NYSE Arca</li> <li>▪ 9 – NYSE American</li> <li>▪ 10 – NYSE National</li> </ul>

### 3.2 CONSOLIDATED TRADE CANCEL/BUST MESSAGE – MSG TYPE 221

This message is sent when a trade is cancelled.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 26 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>221 – Consolidated Trade Cancel/Bust</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Trade ID</b>	20	4	Binary	The ID of trade being cancelled.
<b>Market ID</b>	24	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>

### 3.3 CONSOLIDATED TRADE CORRECTION MESSAGE – MSG TYPE 222

This message is sent when a trade is corrected.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 42 bytes
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>222 – Consolidated Trade Correction</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Original Trade ID</b>	20	4	Binary	The ID of the Trade being corrected.
<b>Trade ID</b>	24	4	Binary	The Trade ID identifies a unique Trade execution.
<b>Price</b>	28	4	Binary	The price of the trade. Use the Price scale from the symbol mapping index.
<b>Volume</b>	32	4	Binary	Volume of the trade.
<b>Trade Condition 1</b>	36	1	ASCII	This field contains settlement related conditions. <ul style="list-style-type: none"> <li>'@' – Regular Sale</li> <li>'C' – Cash</li> <li>'N' – Next Day Trade</li> <li>'R' – Seller</li> </ul>
<b>Trade Condition 2</b>	37	1	ASCII	This field contains a Reason for Trade Through Exemptions. <ul style="list-style-type: none"> <li>'0x20' – N/A</li> <li>'F' – Intermarket Sweep Order</li> <li>'O' – Market Center Opening Trade</li> <li>'4' – Derivatively Priced</li> <li>'5' – Market Center Reopening Trade</li> <li>'6' – Market Center Closing Trade</li> <li>'9' – Corrected Last Sale Price</li> </ul>
<b>Trade Condition 3</b>	38	1	ASCII	This field contains extended hours/sequencing related conditions. <ul style="list-style-type: none"> <li>'0x20' – N/A</li> <li>'L' – Sold Last</li> <li>'T' – Extended Hours Trade</li> <li>'U' – Extended Hours Sold (Out of Sequence)</li> <li>'Z' – Sold</li> </ul>
<b>Trade Condition 4</b>	39	1	ASCII	This field contains the SRO Required Detail. <ul style="list-style-type: none"> <li>'@' – Regular Sale</li> <li>'0x20' – N/A</li> <li>'B' – Average Price Trade</li> <li>'E' – Automatic Execution</li> <li>'H' – Price Variation Trade</li> <li>'I' – Odd Lot Trade</li> <li>'K' – Rule 127 (NYSE only) or Rule 155 (NYSE American Only)</li> <li>'M' – Official Closing Price</li> <li>'P' – Prior Reference Price</li> <li>'Q' – Official Open Price</li> <li>'V' – Stock-Option Trade</li> <li>'X' – Cross Trade</li> </ul>



FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Market ID</b>	40	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"><li>▪ 0 – NYSE Group (BQT)</li><li>▪ 1 – NYSE</li><li>▪ 3 – NYSE Arca</li><li>▪ 9 – NYSE American</li><li>▪ 10 – NYSE National</li></ul>

### 3.4 CONSOLIDATED STOCK SUMMARY MESSAGE – MSG TYPE 229

The stock summary message is sent every 1 minute regardless of whether there is a change to a particular value or not. In the event that there is no volume on the stock, the stock summary message will not be disseminated.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 39-57 bytes. Note: The Msg Size varies with the 'Num Close Prices' field.
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>229 – Consolidated Stock Summary</li> </ul>
<b>Source Time</b>	4	4	Binary	The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC.
<b>Source Time NS</b>	8	4	Binary	The nanosecond offset from the SourceTime
<b>Symbol Index</b>	12	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>High Price</b>	16	4	Binary	The High price of the stock for the day. Use the Price scale from the symbol mapping index.
<b>Low Price</b>	20	4	Binary	The Low price of the stock for the day. Use the Price scale from the symbol mapping index.
<b>Open</b>	24	4	Binary	The Opening price of the stock for the day. Use the Price scale from the symbol mapping index.
<b>Total Volume</b>	28	4	Binary	The cumulative volume for the stock throughout the day.
<b>Market ID of High Price</b>	32	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>
<b>Market ID of Low Price</b>	34	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>
<b>Market ID of Open Price</b>	36	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>
<b>Num Close Prices</b>	38	1	Binary	The number of Market ID/Closing Price pairs. Values can be 0–3.
<b>Market ID of the Close</b>	39	2	Binary	The ID of the Originating Market: <ul style="list-style-type: none"> <li>0 – NYSE Group (BQT)</li> <li>1 – NYSE</li> <li>3 – NYSE Arca</li> <li>9 – NYSE American</li> <li>10 – NYSE National</li> </ul>
<b>Close</b>	41	4	Binary	The Closing price of the stock for the day. Use the Price scale from the symbol mapping index. Note: The 'Market ID of the Close' field and the 'Close' field repeat as a pair for 'Num Close Prices' times.

## 4. Consolidated Volume Message

Message types 240 (Consolidated Volume Message) and 34 (Consolidated Security Status Message) are published on the consolidated volume channels.

[Consolidated Security Status Message – Msg Type 34](#) is documented under BBO Messages.

FIELD NAME	OFFSETS	SIZE (BYTES)	FORMAT	DESCRIPTION
<b>Msg Size</b>	0	2	Binary	Size of the message: 22 bytes.
<b>Msg Type</b>	2	2	Binary	The type of message <ul style="list-style-type: none"> <li>240 – Consolidated Volume message</li> </ul>
<b>Symbol Index</b>	4	4	Binary	The unique ID of the symbol in the Symbol Index msg
<b>Symbol Seq Number</b>	16	4	Binary	The unique ID of this message in the sequence of messages published for this specific symbol.
<b>Total Volume</b>	12	8	Binary	The cumulative volume for the stock throughout the day.
<b>Reason</b>	20	1	Binary	Reason for this update <ul style="list-style-type: none"> <li>0 – New trade</li> <li>1 – Trade Cancellation</li> <li>2 – Trade Error</li> <li>3 – Trade Correction</li> <li>4 – Closing/End Trade Summary (Synchronization with CTS and UTDF for NYSE listed and NASDAQ symbols separately)</li> </ul>
<b>Complete</b>	21	1	Binary	0 – Normal. Data is complete. 1 – An unrecoverable gap was experienced in the input stream, so data may not be complete.

## 5. Product ID and Market ID

---

PRODUCT ID	CHANS	DESCRIPTION
25	1	NYSE BQT Trades
	N/A	NYSE BQT Stock Summaries (no retrans/refresh available)
26	1 - 4	NYSE BQT BBO
	5 - 8	NYSE BQT Consolidated Volume, CTA symbols
	9 - 12	NYSE BQT Consolidated Volume, UTP symbols

EXCHANGE	MARKET ID
NYSE Group	0