

## TAQ OPENBOOK CLIENT SPECIFICATION

NYSE AMERICAN TAQ OPENBOOK ULTRA
NYSE AMERICAN TAQ OPENBOOK AGGREGATED

NYSE TAQ OPENBOOK ULTRA
NYSE TAQ OPENBOOK AGGREGATED

Version Date

1.3a March 21, 2022

© 2022 Intercontinental Exchange, Inc. This document is provided for informational purposes only. The information contained herein is subject to change and does not constitute any form of warranty, representation, or undertaking. Nothing herein should in any way be deemed to alter the legal rights and obligations contained in agreements between Intercontinental Exchange, Inc. and/or any of its affiliates and their respective clients relating to any of the products or services described herein. Intercontinental Exchange, Inc. and its affiliates, makes no warranties whatsoever, either express or implied, as to merchantability, fitness for a particular purpose, or any other matter. Without limiting the foregoing, Intercontinental Exchange, Inc. and its affiliates makes no representation or warranty that any data or information supplied to or by it are complete or free from errors, omissions, or defects.



### **PREFACE**

#### **DOCUMENT HISTORY**

The following table provides a description of all changes to this document.

VERSION NO.	DATE	CHANGE DESCRIPTION
1.2	04/20/2017	Document rebranded with the ICE template  TAQ OpenBook Ultra and Aggregated combined into one specification  Updated for NYSE American market  Clarified chronological order of records  New values in the Aggregated message, Status and Buy/Sell fields  Added new ListingMarket field to for trading all tapes  Aggregated message timestamp accuracy to nanoseconds  Change LinkID2 & 3 fields (now unused) to reserved status  Removed unused Reference Price field from Aggregated msg layout
1.2a	07/10/2017	Updated the timelines for the availability of TAQ OpenBook Ultra Added the file path for the channels of TAQ OpenBook Ultra Ultra Modify the format in the Quote Condition to ASCII and updated the description for TAQ OpenBook Ultra Add the default value of 'Space' for the Reason Code field in TAQ OpenBook Ultra Updated the Reason Code for TAQ OpenBook Ultra Updated Date description field for TAQ OpenBook Aggregated Modify the Time for TAQ OpenBook Aggregated
1.2b	12/14/2017	Updated Security Index byte length from 2 to 4
1.3	01/28/2022	Added Trading Status of "B" in msgtype 230 and msgtype 231.
<b>1.3</b> a	03/21/2022	Updated document with new NYSE logo and branding. No content changes.

### **RELATED DOCUMENTS**

**NYSE Symbology Specification** 

### SUPPORT CONTACT INFORMATION

Telephone: +1 212 896 2830, Option 4

■ Email: <u>support@nyse.com</u>



## **Table of Contents**

<b>PREFA</b>	ACE	2
Docu	ıment History	2
	ted Documents	
	port Contact Information	
	INTRODUCTION	
	Timelines and availability	
	File FormatS	
	File name and FTP location	
	TAQ OPENBOOK ULTRA FIELD LAYOUT	
3.	TAO OPENBOOK AGGREGATED FIFI DI AYOUT	8



#### 1. INTRODUCTION

An instance of the TAQ OpenBook Ultra file and of the TAQ OpenBook Aggregated file is produced at the end of every trading day for the NYSE exchange, and for the NYSE American exchange, a total of four files.

Each record in the file represents an update to the state of the order book for a particular symbol traded at the exchange. The order books for all symbols traded on the exchange are included. Test symbols are not included.

For OpenBook Ultra, and update record appears whenever there was a significant change to the order book. For Openbook Aggregated, update records are published once a second per symbol.

Records are in chronological order.

#### 1.1 TIMELINES AND AVAILABILITY

New OpenBook Ultra and OpenBook Aggregated files are available at the approximate times below. Historical National Volume Summary files are available in the date ranges shown.

All times are in US Eastern time.

PRODUCT	TYPICAL FILE TIME AVAILABILITY	HISTORY FILE AVAILABILITY
NYSE TAQ OpenBook Ultra	11:00 PM	6/2/2008 – present
NYSE TAQ OpenBook Aggregated	08:00 PM	1/24/2002 – present
NYSE American TAQ OpenBook Ultra	11:00 PM	3/12/2014 – present
NYSE American TAQ OpenBook Aggregated	08:00 PM	7/24/2017 – going forward

#### 1.2 FILE FORMATS

- TAQ OpenBook Aggregated files are in a pipe-delimited ASCII format.
- TAQ OpenBook Ultra data files are in a binary format.
- All TAQ OpenBook files are compressed using gzip and have a .gz extension.



#### 1.3 FILE NAME AND FTP LOCATION

On logging into the NYSE FTP Site, <u>NYSE Managed File Transfer platform</u>, the historical TAQ OpenBook files are accessible per your entitlements at the locations shown below.

EXCHANGE	FILE PATH AND NAME
NYSE OpenBook Ultra	EQY_US_NYSE_BOOK/ EQY_US_NYSE_BOOK_yyyy/
	EQY_US_NYSE_BOOK_yyyymm/
	EQY_US_NYSE_BOOK_yyyymmdd.gz
NYSE OpenBook	EQY_US_NYSE_BOOK_AGGR/
Aggregated	EQY_US_NYSE_BOOK_AGGR_yyyy/
	EQY_US_NYSE_BOOK_AGGR_yyyymm/
	EQY_US_NYSE_BOOK_AGGR_yyyymmdd.gz
NYSE American	EQY_US_MKT_BOOK/
OpenBook Ultra	EQY_US_MKT_BOOK_yyyy/
	EQY_US_MKT_BOOK_yyyymm/
	EQY_US_MKT_BOOK <b>_yyyymmdd.gz</b>
	EQY_US_MKT_BOOK_1_yyyymmdd.gz
	EQY_US_MKT_BOOK_2_yyyymmdd.gz
	EQY_US_MKT_BOOK_3_yyyymmdd.gz
	EQY_US_MKT_BOOK_4_yyyymmdd.gz
NYSE American	EQY_US_MKT_BOOK_AGGR/
OpenBook Aggregated	EQY_US_MKT_BOOK_AGGR_yyyy/
	EQY_US_MKT_BOOK_AGGR_yyyymm/
	EQY_US_MKT_BOOK_AGGR_yyyymmdd.gz



## 2. TAQ OPENBOOK ULTRA FIELD LAYOUT

In the format column, a number in parentheses is the maximum length of the field.

FIELD ORDER	FIELD	FORMAT	DESCRIPTION	
1	MsgSeqNum	Binary (4)	The message sequence number	
2	MsgType	Binary (2)	The type of this message  230 – Full Update Message 231 – Delta Update Message	
3	SendTime	Binary(4)	The time that this message was published, in milliseconds since midnight.	
4	Symbol	ASCII (11)	The symbol in NYSE symbology (Root Space Suffix)	
5	MsgSize	Binary (2)	The size of this message in bytes, including this field.  MsgSize=sum(fixed fields) + number of price Points*sum (price point fields for 1 price point).	
6	SecurityIndex	Binary (4)	A numerical unique ID for this symbol.	
7	SourceTime	Binary (4)	The time this update was generated by the matching engine, in milliseconds since midnight	
8	SourceTimeMicroSecs	Binary (2)	The number of microseconds after the millisecond boundary that this update was generated by the matching engine	
9	QuoteCondition	ASCII(1)	<ul> <li>'' - space (no special quote condition exists)</li> <li>'W' - slow on both the Bid and Ask sides because this security is on the Set Slow list</li> </ul>	
10	Trading Status	ASCII (1)	Trading status of this security. Values:  • 'P' - Pre-Opening  • 'B' - Begin Accepting Orders  • 'E' - Early session (NYSE American only)  • 'O' - Opened (Core Session)  • 'L' - Late Session (NYSE American only)  • 'X' - Closed  • 'H' - Halted	
11	SourceSeqNum	Binary (4)	The sequence number assigned by the source system to this message. Unique only for this symbol, so orders for two different stocks may share the same source sequence number.	



12	SourceSessionID	Binary (1)	The source-session identifier is incremented with every new source session during the day. SourceSessionIDs may restart at a lower number with every new session.
13	PriceScaleCode	Binary (1)	The denominator code for the price fields in this message. Represents the number of digits after the decimal place in the price.  Examples:  For a price of 12, PriceScaleCode is 0.  For a price of 12.3, PriceScaleCode is 1.
14	PriceNumerator	Binary (4)	The price (numerator) of this price point.  Note: The price is represented by the PriceScaleCode and the PriceNumerator. For example, a price of 12.3 has a "price numerator" of 123 and a scalecode of 1.
15	Volume	Binary (4)	The total interest in shares at this price point.
16	ChgQty	Binary (4)	The volume of the event taking place (that is, the size of the order, cancel or execution).
17	NumOrders	Binary (2)	The number of orders at the current price point.
18	Side	ASCII (1)	The side of this price point, Buy or sell. Valid Values:  • 'B' = Buy  • 'S' = Sell
19	Filler	ASCII (1)	Reserved. Ignore any content.
20	ReasonCode	ASCII (1)	The reason for this update. Valid values:  'O' - New order/additional interest added  'C' - Cancel  'E' - Execution  'X' - Multiple events  '' - space - message is not an update
21	Filler	ASCII (1)	Reserved. Ignore any content.
22	LinkID1	Binary (4)	The LinkID is only populated when an execution occurs. It uniquely identifies the execution.
23	LinkID2	Binary (4)	Reserved. Ignore any content.
24	LinkID3	Binary (4)	Reserved. Ignore any content.



# 3. TAQ OPENBOOK AGGREGATED FIELD LAYOUT

In the format column, a number in parentheses is the maximum length of the field.

FIELD ORDER	FIELD	FORMAT	DESCRIPTION
1	Symbol	Text (16)	Stock symbol in <u>NYSE symbology</u> (Root Space Suffix)
2	Status	Text (1)	<ul> <li>Current trading status of the symbol</li> <li>P = Pre-Opening</li> <li>H = Stock Halted</li> <li>E = Early Session (NYSE American only)</li> <li>= Open, or for NYSE American, Core Session</li> <li>L = Late Session (NYSE American only)</li> <li>X = Stock Closed</li> </ul>
3	Date	YYYYMMDD	Trade date of this update
4	Time	HHMMSS.sssssssss	Time of this update, with nanoseconds accuracy
5	Buy/Sell	Text (1)	The side of this update, buy or sell  B = Buy  S = Sell
6	Price Point	Number (15)	The price point of this update, in dollars, with an optional decimal point and one or more decimal places.
7	Shares	Number (9)	The number of shares on this side of this price point
8	Number of Orders	Number (5)	The number of orders on this side of this price point
9	Listing Market	Text(1)	Exchange where the symbol is listed:  N - NYSE  P - NYSE Arca  Q - NASDAQ  A - NYSE American  Z - CBOE