



XDP INTEGRATED FEED CLIENT SPECIFICATION

NYSE AMERICAN INTEGRATED FEED
NYSE ARCA INTEGRATED FEED
NYSE CHICAGO INTEGRATED FEED
NYSE INTEGRATED FEED
NYSE NATIONAL INTEGRATED FEED

Version
2.3a

Date
October 25, 2019

© Copyright 2019 Intercontinental Exchange, Inc. ALL RIGHTS RESERVED. INTERCONTINENTAL EXCHANGE, INC. AND ITS AFFILIATES WHICH INCLUDE THE NEW YORK STOCK EXCHANGE, (“ICE” AND “NYSE”) MAKE NO WARRANTY WHATSOEVER AS TO THE PRODUCT DESCRIBED IN THESE MATERIALS EXPRESS OR IMPLIED, AND THE PRODUCT IS PROVIDED ON AN “AS IS” BASIS. ICE AND NYSE EXPRESSLY DISCLAIM ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NEITHER ICE, NYSE NOR THEIR RESPECTIVE DIRECTORS, MANAGERS, OFFICERS, AFFILIATES, SUBSIDIARIES, SHAREHOLDERS, EMPLOYEES OR AGENTS MAKE ANY WARRANTY WITH RESPECT TO, AND NO SUCH PARTY SHALL HAVE ANY LIABILITY FOR (i) THE ACCURACY, TIMELINESS, COMPLETENESS, RELIABILITY, PERFORMANCE OR CONTINUED AVAILABILITY OF PRODUCT, OR (ii) DELAYS, OMISSIONS OR INTERRUPTIONS THEREIN. ICE AND NYSE DO NOT, AND SHALL HAVE NO DUTY OR OBLIGATION TO, VERIFY, MONITOR, CONTROL OR REVIEW ANY INFORMATION IN RELATION TO THE PRODUCT.

PREFACE

DOCUMENT HISTORY

| VERSION NO. | DATE | CHANGE DESCRIPTION |
|-------------|------------|--|
| 2.1a | 5/8/2017 | Added 5 fields to the Imbalance message (type 105) supporting LULD amendment 12 (day 1, defaulted to 0) Corrected tables of trading and publication times Updated contact information |
| 2.1b | 5/26/2017 | Corrected the size of the Low Collar field in the Imbalance message to 4 bytes. Clarified that the Imbalance Side field pertains to the Total Imbalance Qty field. Clarified that Qty fields are truncated to round lots for NYSE Clarified that the 2 clearing price fields will be initially 0 |
| 2.1c | 8/14/2017 | Updated Add Order message description regarding Order IDs |
| 2.1d | 9/22/2017 | v2.1d contains no changes in feed behavior, only spec clarifications Updated Imbalance msg field descriptions and Appendix A to include specialized information for NYSE Tape A symbols |
| 2.1e | 9/27/2017 | no changes in feed behavior, only spec clarifications Added NYSE to message publication times Corrected description of DBExecID field for NYSE Tape A symbols |
| 2.1f | 11/20/2017 | Updated the Imbalance the Clearing Price fields and 5 trailing fields – no longer set to 0 for Arca and American |
| 2.1g | 01/29/2018 | No change to the feed. Added spec support for NYSE National (Go Live 05/2018). |
| 2.2 | 12/01/2018 | <ul style="list-style-type: none"> • Updates to Auctions and the Imbalances msg for NYSE under Pillar. • Renamed Closing Only Clearing Price to Auction Only Clearing Price. <p>The 3 new trailing fields in the Imbalance message contain only default values in non-NYSE markets.</p> |
| 2.2a | 03/08/2019 | <ul style="list-style-type: none"> • Updates to NYSE Imbalance start time • Defaulted the Significant imbalance field in Msg Type 105 |
| 2.3 | 06/14/2019 | Added support for NYSE Chicago Integrated Feed - product ID, hours of operation, etc... (Go Live 11/2019) |
| 2.3a | 10/25/2019 | Additional clarifications/cleanup post Tape A migration to Pillar. <ul style="list-style-type: none"> • Corrected 4pm security status message for NYSE. • Clarified FirmID field in the AddOrder message (Msg Type 100) • Clarified Position Change field in the Modify (Msg Type 101) • Clarified DBExecID field in Execution Message (Msg Type 103). • Removed implementation note on RPI message (Msg Type 114). |

| VERSION NO. | DATE | CHANGE DESCRIPTION |
|-------------|------|---|
| | | <ul style="list-style-type: none">• Clarified field definitions for CBCP, AICP on Imbalance Msg (Msg Type 105)• Corrected Core opening time in Appendix A. |

REFERENCE MATERIAL

The following lists the associated documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- [XDP Common Client Specification](#)
- [ICE Global Network](#)
- [NYSE Symbology](#)
- [IP Addresses](#)

CONTACT INFORMATION

Service Desk

- Telephone: +1 212 896-2830
- Email: support@nyse.com

FURTHER INFORMATION

For additional information about the product, visit the [Integrated Feed Product Page](#).

For updated capacity figures, visit the Market Data [capacity page](#).

CONTENTS

| | | |
|-------------|---|-----------|
| 1. | XDP INTEGRATED FEED INFORMATION | 5 |
| 1.1 | Overview | 5 |
| 1.2 | Control Message Types Used in the feed..... | 5 |
| 1.3 | Message Publication Times | 6 |
| 2. | ADD ORDER MESSAGE – MSG TYPE 100 | 8 |
| 3. | MODIFY ORDER MESSAGE – MSG TYPE 101 | 9 |
| 4. | REPLACE ORDER MESSAGE – MSG TYPE 104..... | 10 |
| 5. | DELETE ORDER MESSAGE – MSG TYPE 102 | 11 |
| 6. | ORDER EXECUTION MESSAGE – MSG TYPE 103 | 12 |
| 7. | NON-DISPLAYED TRADE MESSAGE – MSG TYPE 110 | 13 |
| 8. | TRADE CANCEL MESSAGE – MSG TYPE 112..... | 14 |
| 9. | RETAIL PRICE IMPROVEMENT MESSAGE – MSG TYPE 114..... | 15 |
| 10. | CROSS TRADE MESSAGE – MSG TYPE 111 | 16 |
| 11. | CROSS CORRECTION MESSAGE – MSG TYPE 113..... | 17 |
| 12. | IMBALANCE MESSAGE – MSG TYPE 105 | 18 |
| 13. | ADD ORDER REFRESH MESSAGE – MSG TYPE 106..... | 23 |
| 14. | STOCK SUMMARY MESSAGE – MSG TYPE 223 | 24 |
| | APPENDIX A: INFORMATION ON AUCTIONS | 25 |
| 14.1 | NYSE Auctions..... | 25 |
| 14.2 | NYSE Arca and NYSE American Auctions | 26 |
| 14.3 | Imbalance Message Publication Times..... | 28 |
| | APPENDIX B: SAMPLE SCENARIOS FOR INTEGRATED FEED | 29 |
| | APPENDIX C: PRODUCT IDS..... | 31 |

1. XDP Integrated Feed Information

1.1 OVERVIEW

The Integrated Feed provides real-time market data in a unified view of events, in sequence, as they appear on the matching engines. The Integrated Feed includes depth of book order data, last sale data, and opening and closing imbalance data. The Integrated Feed also includes security status updates (e.g., trade corrections and trading halts) and stock summary messages.

All message types defined in this document appear only in the main publication channels, except:

- The Imbalance and Add Order Refresh message types also appear in the Refresh channels.
- The Stock Summary message appears only in a dedicated Stock Summary channel.

See Appendixes D and E for differences between the Integrated Feed version 1.0 and 2.0

1.2 CONTROL MESSAGE TYPES USED IN THE FEED

See the XDP Common Client Specification for details on all control messages.

| MSG TYPE | DESCRIPTION | PUBLISHER CHANNELS | REQUEST CHANNEL | REFRESH CHANNELS |
|----------|------------------------------|--------------------|-----------------|------------------|
| 1 | Sequence Number Reset | x | | x |
| 2 | Time Reference | x | | x |
| 3 | Symbol Index Mapping | x | | x |
| 10 | Retransmission Request | | client | |
| 11 | Request Response | | server | |
| 12 | Heartbeat Response | | client | |
| 13 | Symbol Index Mapping Request | | client | |
| 15 | Refresh Request | | client | |
| 31 | Message Unavailable | | server | |
| 32 | Symbol Clear | x | | |
| 34 | Security Status Message | x | | x |
| 35 | Refresh Header Message | | | x |

1.3 MESSAGE PUBLICATION TIMES

Scheduled trading session times on normal and early-close days for all NYSE markets can be found [here](#).

All times are US Eastern Time. Early Close Days end at 1:00pm ET for all markets.

1.3.1 Integrated Feed Message Types and Hours

Hours are for guidelines use only (e.g. stop publication times for NYSE Tape A are not exactly at 4:00pm EST, rather when the stock is closed).

| MSG TYPE | DESCRIPTION | HOURS | |
|----------|------------------------------|--|--|
| 100 | Add Order Message | NYSE Arca 3:30am – 8:00pm | |
| 101 | Modify Order Message | NYSE American 6:30am – 8:00pm | |
| 104 | Replace Order Message | NYSE Chicago 6:30am – 8:00pm | |
| 102 | Delete Order Message | NYSE National 6:30am – 8:00pm | |
| 112 | Trade Cancel Message | NYSE Tape A 6:30am – 4:00pm | |
| 111 | Cross Trade Message | NYSE Tapes B&C 6:30am – 4:00pm | |
| 113 | Cross Correction Message | See Appendix A | |
| 114 | Retail Price Improvement Msg | NYSE Arca 4:00am – 8:00pm | NYSE Tape A 9:30am – 4:00pm |
| 106 | Add Order Refresh Message | NYSE American 7:00am – 8:00pm | NYSE Tapes B&C 7:00am – 4:00pm |
| 105 | Imbalance Message | NYSE National 7:00am – 8:00pm | NYSE Chicago 7:00am – 8:00pm |
| 103 | Order Execution Message | | |
| 110 | Non-Displayed Trade Message | | |
| 223 | Stock Summary Message | | |

1.3.2 Control Message Types:

Refer to the XDP Common Client Specification for details

| MSG TYPE | DESCRIPTION | HOURS | |
|----------|-------------------------|--|---|
| 1 | Sequence Number Reset | 12:15am – 8:00pm | |
| 2 | Time Reference | | |
| 3 | Symbol Index Mapping | | |
| 32 | Symbol Clear | | |
| 34 | Security Status Message | NYSE Arca 12:15am – 8:00pm | NYSE Tape A 12:15am – 4:00pm |
| | | NYSE American 12:15am – 8:00pm | NYSE Tapes B&C 12:15am – 4:00pm |
| | | NYSE National 12:15am – 8:00pm | NYSE Chicago 12:15am – 8:00pm |

2. Add Order Message – Msg Type 100

An Add Order message is published when a new visible order has been received and added to the book. The Order ID is assigned by the matching engine and is good for today only.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------|--------|--------------|--------|--|
| Msg Size | 0 | 2 | Binary | Size of the message: 39 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 100 – Add Order Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 16 | 8 | Binary | The unique ID assigned by the matching engine to this order . Can be used to match this message to the gateway Order Report. |
| Price | 24 | 4 | Binary | The order price. Use with the Price Scale from the symbol-mapping index. |
| Volume | 28 | 4 | Binary | The order quantity in shares |
| Side | 32 | 1 | ASCII | The side of the order (Buy/Sell). Valid values: <ul style="list-style-type: none"> ▪ 'B' – Buy ▪ 'S' – Sell |
| FirmID | 33 | 5 | ASCII | The market participant's firm ID. Blank-filled if a firm ID was not specified and/or if the order is not marked as Attributed. |
| NumParitySplits | 38 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at this price level <ul style="list-style-type: none"> ▪ 0 = The number of parity splits at this price level is between 1 and 4 inclusive ▪ 5-254 = The number of parity splits at this price level ▪ 255 = 255 or more splits at this price level |

3. Modify Order Message – Msg Type 101

A Modify Order message is sent when the price or volume of an order is changed due to an event other than a cancel-replace, or full or partial execution. The content of the price and volume fields represent the new values after modification.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------------|--------|--------------|--------|--|
| Msg Size | 0 | 2 | Binary | Size of the message: 35 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 101 – Modify Order Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 16 | 8 | Binary | The unique ID assigned by the matching engine to the order to be modified |
| Price | 24 | 4 | Binary | The new order price. Use the Price scale from the symbol mapping index. |
| Volume | 28 | 4 | Binary | The new order quantity in shares. |
| PositionChange | 32 | 1 | Binary | Currently defaulted to 0. <ul style="list-style-type: none"> • 0 – Kept position in book • 1 – Lost position in book <p>If the price of the Modify Order didn't change, order always keeps the position in the book.</p> <p>If the price of the Modify Order message changed, the order always loses position.</p> |
| PrevPriceParitySplits | 33 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the previous price. |
| NewPriceParitySplits | 34 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the new price. |

4. Replace Order Message – Msg Type 104

A Replace Order message is published when a cancel/replace order is received and executed. The sitting order is replaced with a new one containing the same symbol, side and attribution, a new Order ID, and the price and size specified. The sitting order must be removed from the book and replaced with the new order.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------------|--------|--------------|--------|--|
| Msg Size | 0 | 2 | Binary | Size of the message: 42 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 104 – Replace Order Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 16 | 8 | Binary | The unique ID assigned by the matching engine to the existing order to be replaced |
| NewOrderID | 24 | 8 | Binary | The new Order ID of the replacement order |
| Price | 32 | 4 | Binary | The new order price. Use the Price scale from the symbol mapping index. |
| Volume | 36 | 4 | Binary | The new order quantity in shares. |
| PrevPriceParitySplits | 40 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the previous price <ul style="list-style-type: none"> ▪ 0 = The number of parity splits at this price level is between 1 and 4 inclusive ▪ 5-254 = The number of parity splits at this price level ▪ 255 = 255 or more splits at this price level |
| NewPriceParitySplits | 41 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the new price <ul style="list-style-type: none"> ▪ (If price does not change, same as PrevPriceParitySplits) Values same as PrevPriceParitySplits |

5. Delete Order Message – Msg Type 102

A Delete Order message is published when an order is taken off of the book for any reason except for full execution, in which case an Order Execution message is sent. If the order is replaced, a delete order message will not be published, rather a Replace Order message.

Immediately before a trading session changes (eg: Early session to Core session), all orders that were submitted for the current or current+previous sessions are explicitly deleted with a Delete Order message.

Please note that when trading in a security is closed for the day, a Security Status 'X' is sent and unexecuted orders are cancelled, but explicit Delete Order Messages are not sent.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID field format.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 25 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 102 – Delete Order Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 16 | 8 | Binary | The unique ID assigned by the matching engine to the existing order to be deleted |
| NumParitySplits | 24 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the price level of the deleted order. |

6. Order Execution Message – Msg Type 103

An Order Execution message is sent when an order is partially or fully executed. If the Price field is different from the price of the order, any remaining shares keep their original price. If the Volume field equals the number of shares previously remaining in the order, then the order has been fully executed and should be removed from the book. If the order has been partially executed, further Order Execution messages for this Order ID may be published.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID, Trade ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 42 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 103 – Order Execution Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 16 | 8 | Binary | The unique ID assigned by the matching engine to the partially or fully executed order . |
| TradeID | 24 | 4 | Binary | Unique ID assigned by the matching engine to this execution. Used by any subsequent Trade Cancel message to identify this execution. Can be matched to the Deal ID field in the gateway Execution Report. |
| Price | 28 | 4 | Binary | The execution price of this trade. Use the Price Scale from the symbol mapping index. |
| Volume | 32 | 4 | Binary | The executed quantity in shares. |
| PrintableFlag | 36 | 1 | Binary | <ul style="list-style-type: none"> 0 = Not Printed to the SIP 1 = Printed to the SIP <p>All individual executions (Execution messages and Non-Displayed Trade messages) will have Printable Flag set to 0 for auction trades, so that the auction volume is not double counted.</p> |
| NumParitySplits | 37 | 1 | Binary | Defaulted to 0. Future use by NYSE only. Resulting number of splits at the price level at which the executed order was resting. |
| DBExecID | 38 | 4 | Binary | Defaulted to 0. Future use by NYSE only. |

7. Non-Displayed Trade Message – Msg Type 110

An Non Displayed Trade message is sent as a result of a match between two non-displayed orders.

Customers who are only interested in building a book of displayed orders may safely ignore Non-Displayed Trade messages. Customers who are creating statistics or displays requiring the full record of trades in this market will need to process Non-Displayed Trade messages.

If a MOC order executes against MOC or LOC, then a Non-Displayed Trade message is published. If a MOC order was executed against a displayed order, only an 'Order Execution' message for the displayed order will be published.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID, Trade ID, DBExecID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|----------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 33 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 110 – Non-Displayed Trade Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 16 | 4 | Binary | Unique ID assigned by the matching engine to this trade event. Used by any subsequent Trade Cancel message to identify this execution. Can be matched to the Deal ID field in the gateway Execution Report. |
| Price | 20 | 4 | Binary | The execution price of the trade. Use the Price scale from the symbol mapping index. |
| Volume | 24 | 4 | Binary | Volume of the trade in shares |
| PrintableFlag | 28 | 1 | Binary | <ul style="list-style-type: none"> 0 = Not Printed to the SIP 1 = Printed to the SIP |
| DBExecID | 29 | 4 | Binary | Defaulted to 0. Future use by NYSE only. |

8. Trade Cancel Message – Msg Type 112

In the event that an earlier trade has been reported in error, a Trade Cancel message is sent. This occurs whether the initial report was an Order Execution or a Non-Displayed Trade message.

Note that since Trade Cancel messages only affect trades that occurred in the past, customers who are only interested in building a book may safely ignore them.

Customers who are building a complete record of today's trades should remove the cancelled trade from their records and subtract its volume from any statistics.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|---------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 20 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 112 – Trade Cancel Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 16 | 4 | Binary | The TradeID of the original Trade or Execution message to be cancelled. |

9. Retail Price Improvement Message – Msg Type 114

Published when RPI interest (hidden retail price improvement interest) is added or removed between the best bid and best offer price. When all RPI interest for this security is removed from the book, An RPI message with RPIIndicator = ' ' (space character) is published.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|---------------------|--------|--------------|--------|--|
| Msg Size | 0 | 2 | Binary | Size of the message: 17 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 114 – Retail Price Improvement Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| RPIIndicator | 16 | 1 | ASCII | The side(s) where Retail Price Improvement orders (RPI orders) exist. Valid values correspond to CQS values: <ul style="list-style-type: none"> • ' ' – Space means no retail interest (default) • A – Retail interest on the bid side • B – Retail interest on the offer side • C – Retail interest on the bid and offer sides. |

10. Cross Trade Message – Msg Type 111

A Cross Trade message is published on completion of a crossing auction, and shows the bulk volume that traded in the auction. The Reason Code field indicates the auction type. Additionally, a non-printable Order Execution or Non-Displayed Trade message will be published for each order that traded.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|---------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 29 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 111 – Cross Trade Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| CrossID | 16 | 4 | Binary | Unique identifier for this Cross Trade. Used in Cross Correction message to identify the Cross Trade to correct. |
| Price | 20 | 4 | Binary | The execution price. Use the Price scale from the symbol mapping index. |
| Volume | 24 | 4 | Binary | Volume executed in shares |
| CrossType | 28 | 1 | ASCII | Reason for the crossing auction. Valid values: <ul style="list-style-type: none"> • E – Market Center Early Opening Auction • O – Market Center Opening Auction • 5 – Market Center Reopening Auction • 6 – Market Center Closing Auction |

11. Cross Correction Message – Msg Type 113

In the event that an earlier Cross Trade has been reported in error, a Cross Correction message is sent.

Note that since Cross Correction messages only affect cross auctions that occurred in the past, customers who are only interested in building a book may safely ignore them.

Customers who are building a complete record of today's volume should remove the previously reported volume from their statistics and add the volume of the Cross Correction to them.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|---------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 24 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 113 – Cross Correction Message |
| SourceTimeNS | 4 | 4 | Binary | The nanosecond offset from the Time Reference second (since Jan 1, 1970 00:00:00 UTC) |
| SymbolIndex | 8 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 12 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| CrossID | 16 | 4 | Binary | The CrossID of the original Cross Trade message to be corrected. |
| Volume | 20 | 4 | Binary | The corrected volume of Cross Trade message. |

12. Imbalance Message – Msg Type 105

Imbalance messages are published once a second during auctions to update price and volume information. If there is no change to the calculated fields, no message will be generated.

See [Information on Auctions](#) for details on the auction process in the NYSE, Arca and American markets.

See the XDP Common Client Specification for details on Symbol Index Mapping messages and Price field format.

| FIELD NAME | OFFSET | SIZE | FORMAT | DESCRIPTION |
|---------------------------|--------|------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 73 bytes |
| Msg Type | 2 | 2 | Binary | This field identifies the type of message. 105 – Imbalance Message |
| SourceTime | 4 | 4 | Binary | The time when this msg was generated in the order book, in secs since 1/1/1970 00:00:00 UTC |
| SourceTimeNS | 8 | 4 | Binary | The nanosecond offset from the Source Time |
| SymbolIndex | 12 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 16 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| ReferencePrice | 20 | 4 | Binary | The Reference Price is the notional likely price of the auction trade. See Information on Auctions for details. For non-NYSE markets, the Reference Price is used to calculate the Indicative Match Price. |
| PairedQty | 24 | 4 | Binary | For non-NYSE markets, the number of shares paired off at the Indicative Match Price. For NYSE, the number of shares paired off at the Reference Price. |
| TotalImbalanceQty | 28 | 4 | Binary | For non-NYSE markets, the total imbalance quantity at the Indicative Match Price. For NYSE, the total imbalance quantity at the Reference Price. When Auction Type=P (NYSE only), this field will be set to the Extreme Order Imbalance quantity. |
| MarketImbalanceQty | 32 | 4 | Binary | The total market order imbalance quantity at the Indicative Match Price. For NYSE, unused and defaulted to 0. |
| AuctionTime | 36 | 2 | Binary | Projected Auction Time (hhmm) |

| | | | | |
|--------------------------------------|----|---|--------|--|
| AuctionType | 38 | 1 | ASCII | <ul style="list-style-type: none"> • O – Early Opening Auction (non-NYSE only) • M – Core Opening Auction • H – Reopening Auction (Halt resume) • C – Closing Auction • P – Extreme Closing Imbalance (NYSE only) • R – Regulatory Closing Imbalance (NYSE only) |
| ImbalanceSide | 39 | 1 | ASCII | <p>The side of the TotalImbalanceQty</p> <ul style="list-style-type: none"> • B – Buy side • S – Sell side • Space – No imbalance |
| ContinuousBook ClearingPrice | 40 | 4 | Binary | <p>For non-NYSE markets, the price at which all interest on the book can trade, including auction and imbalance offset interest, and disregarding auction collars.</p> <p>For NYSE, the price closest to the reference price where the imbalance is 0.</p> <p>For regulatory imbalances, or if a continuous book clearing price is not reached, this field is defaulted to 0.</p> |
| AuctionInterest ClearingPrice | 44 | 4 | Binary | <p>For non-NYSE markets, the price at which all eligible auction-only interest would trade, subject to auction collars.</p> <p>For the NYSE closing auction only, the price closest to the reference price where the imbalance of closing-only interest is 0.</p> <p>For all other types of imbalances, or if an auction interest clearing closing-only clearing price is not reached, this field is defaulted to 0.</p> |
| SSRFilingPrice | 48 | 4 | Binary | <p>For non-NYSE markets, not supported and defaulted to 0.</p> <p>For NYSE non-Regulatory imbalances, if a Sell Short Restriction is in effect, the price at which Sell Short interest will be filed.</p> |

| | | | | |
|-----------------------------|----|---|--------|---|
| IndicativeMatchPrice | 52 | 4 | Binary | For non-NYSE markets, the price at which the highest number of shares would trade, subject to auction collars. It includes the non-displayed quantity of Reserve Orders. See Information on Auctions for details. For NYSE, set to 0. |
| UpperCollar | 56 | 4 | Binary | Auction Upper Collar. If the IndicativeMatchPrice is not strictly between the UpperCollar and the LowerCollar, special auction rules apply. See Rule 7.35 for details For NYSE, set to 0. |
| LowerCollar | 60 | 4 | Binary | Auction Lower Collar. If the IndicativeMatchPrice is not strictly between the UpperCollar and the LowerCollar, special auction rules apply. See Rule 7.35 for details. For NYSE, set to 0 |
| AuctionStatus | 64 | 1 | Binary | Indicates whether the auction will run <ul style="list-style-type: none"> • 0 - Will run as always for Open and Close (NYSE) • 1 - Will run, interest exists inside or at the collars or is fully paired off • 2 – Will not run because there is an imbalance through the collars • 3 – Will not run, will transition to the Closing Auction instead (NYSE) |
| FreezeStatus | 65 | 1 | Binary | DMM Freeze status. <ul style="list-style-type: none"> • 0 - Imbalance freeze not yet in effect • 1 - Imbalance freeze is in effect |
| NumExtensions | 66 | 1 | Binary | Number of times the halt period has been extended For NYSE, set to 0 |
| Unpaired Qty | 67 | 4 | Binary | For NYSE only, during the Closing Auction, the number of unpaired shares priced at or better than the Reference Price. For non-NYSE markets, '0'. |

| | | | | |
|------------------------------|----|---|-------|--|
| Unpaired Side | 71 | 1 | ASCII | <p>The side of the Unpaired Qty</p> <ul style="list-style-type: none"> • B - buy side • S - sell side • Space - not applicable |
| Significant Imbalance | 72 | 1 | ASCII | <p>For Auction Types = C or P in NYSE-listed symbols, using historical closing data for each symbol, NYSE will set this indicator if the Continuous Book Clearing Price is more than a 'significant' range away from the Reference Price.</p> <ul style="list-style-type: none"> • Y - the current Imbalance is significant • Space - not significant, or not applicable. <p>For all markets, defaulted to '' till a future implementation date.</p> |

13. Add Order Refresh Message – Msg Type 106

The Add Order Refresh message can be sent in either of two contexts:

- 1) If a client sends a Refresh Request to the Request Controller, an Add Order Refresh message is sent over the Refresh channels as part of the refresh response for every order currently sitting on the book.
- 2) If NYSE Operations refreshes a symbol, a Symbol Clear message is published, followed by a full refresh. The refresh includes an Add Order Refresh message for every order currently sitting on the book of the symbol.

See the XDP Common Client Specification for details on Time Reference and Symbol Index Mapping messages, and Order ID and Price field formats.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|------------------------|--------|--------------|--------|---|
| Msg Size | 0 | 2 | Binary | Size of the message: 43 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 106 – Add Order Refresh Message |
| SourceTime | 4 | 4 | Binary | The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC. |
| SourceTimeNS | 8 | 4 | Binary | The nanosecond offset from the SourceTime |
| SymbolIndex | 12 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| SymbolSeqNum | 16 | 4 | Binary | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 20 | 8 | Binary | The unique ID assigned by the matching engine to this order |
| Price | 28 | 4 | Binary | The order price. Use the Price scale from the symbol-mapping index. |
| Volume | 32 | 4 | Binary | The order quantity in shares. |
| Side | 36 | 1 | ASCII | The side of the order (Buy/sell). Valid values: <ul style="list-style-type: none"> • ‘B’ – Buy • ‘S’ – Sell |
| FirmID | 37 | 5 | ASCII | The participant’s firm ID, or blanks if firm ID was not specified OR if the order is not marked as attributed. |
| NumParitySplits | 42 | 1 | Binary | For all markets, defaulted to 0. |

14. Stock Summary Message – Msg Type 223

A Stock Summary message per symbol is sent every 60 seconds, on a separate Stock Summary channel from the main feed.

The message is sent regardless of whether there has been a change to the symbol in the last 60 seconds or not.

See the XDP Common Client Specification for details on the Price field format.

| FIELD NAME | OFFSET | SIZE (BYTES) | FORMAT | DESCRIPTION |
|---------------------|--------|--------------|--------|--|
| Msg Size | 0 | 2 | Binary | Size of the message: 36 bytes |
| Msg Type | 2 | 2 | Binary | The type of message: 223 – Stock Summary Message |
| SourceTime | 4 | 4 | Binary | The time when this msg was generated in the order book, in seconds since Jan 1, 1970 00:00:00 UTC. |
| SourceTimeNS | 8 | 4 | Binary | The nanosecond offset from the SourceTime |
| SymbolIndex | 12 | 4 | Binary | The ID of the symbol in the Symbol Index msg |
| HighPrice | 16 | 4 | Binary | The exchange high price of this stock for the day. Use the Price Scale in the symbol index msg. |
| LowPrice | 20 | 4 | Binary | The exchange Low price of this stock for the day. Use the Price Scale in the symbol index msg. |
| Open | 24 | 4 | Binary | The exchange Opening price of this stock for the day. Use the Price Scale in the symbol index msg. |
| Close | 28 | 4 | Binary | The exchange Closing price of this stock for the day. Use the Price Scale in the symbol index msg. |
| TotalVolume | 32 | 4 | Binary | The exchange cumulative volume for the stock throughout the day. |

APPENDIX A: Information on Auctions

14.1 NYSE AUCTIONS

The NYSE market conducts auctions for NYSE-listed (Tape A) symbols only. The NYSE market does not publish imbalances for IPO or Direct Listing symbols.

As a part of the auction process, Imbalance messages are published every second if there is any change from the previous second.

Note: During an auction, in calculating the imbalance at a price point on the book, NYSE considers the following to be an imbalance:

- market orders
- interest whose price is better than the book price point

| AUCTION TYPE | DESCRIPTION |
|---|---|
| <p>Opening Auction (M) and Re-Opening Auction (H)</p> | <p>Interest Included</p> <ul style="list-style-type: none"> ▪ All electronic interest eligible to trade in the opening auction ▪ DMM interest as needed to offset the imbalance <p>Order Cancellation</p> <ul style="list-style-type: none"> ▪ Orders can be cancelled at any time up to the conclusion of the auction <p>Reference Price Calculation</p> <p>The Reference Price is</p> <ul style="list-style-type: none"> ▪ The consolidated last sale* if no Mandatory Indication has been published ▪ The consolidated last sale* if it is within the indication range ▪ The indication low price if it is higher than the consolidated last sale* ▪ The indication high price if it is lower than the consolidated last sale* <p>* If there's no consolidated last sale price, the previous close price is used</p> |
| <p>Closing Auction (C)</p> | <p>Interest Included</p> <ul style="list-style-type: none"> ▪ For Paired Quantity, Unpaired Quantity, and Total Imbalance Quantity: <ul style="list-style-type: none"> ○ MOC and LOC orders ○ Imbalance offset orders ○ Closing D orders ▪ For Continuous Book Clearing Price: <ul style="list-style-type: none"> ○ All electronic interest eligible to trade in the closing auction ○ DMM interest as needed to offset the imbalance ▪ For Auction Interest Clearing Price: <ul style="list-style-type: none"> ○ MOC and LOC orders ○ Imbalance offset orders |

| AUCTION TYPE | DESCRIPTION |
|---|--|
| | <p>Order Cancellation</p> <ul style="list-style-type: none"> ▪ Orders can be cancelled any time during the auction period, except for MOC, LOC and Imbalance offset orders, which can be cancelled only up to 2 minutes before the scheduled closing time. <p>Reference Price Calculation</p> <p>The Reference Price is</p> <ul style="list-style-type: none"> ▪ The NYSE last sale if it is at or within the NYSE best quote ▪ The NYSE best bid if the NYSE best bid is higher than the NYSE last sale ▪ The NYSE best offer if the NYSE best offer is lower than the NYSE last sale |
| <p>Regulatory Closing Auction (R)</p> | <p>Interest Included</p> <ul style="list-style-type: none"> ▪ MOC and LOC orders <p>Reference Price Calculation</p> <ul style="list-style-type: none"> ▪ The Reference Price is the NYSE last sale* <p>* If there's no NYSE last sale price, the NYSE previous close price is used</p> |
| <p>Extreme Imbalance Closing Auction (P)</p> | <p>Interest Included</p> <ul style="list-style-type: none"> ▪ All electronic interest eligible to trade in the closing auction <p>Reference Price Calculation</p> <ul style="list-style-type: none"> ▪ The Reference Price is the NYSE last sale* <p>* If there's no NYSE last sale price, the NYSE previous close price is used</p> |

14.2 NYSE ARCA AND NYSE AMERICAN AUCTIONS

Three single-price auctions are conducted during the day: the Early Opening Auction, the Core Opening Auction and the Closing Auction. As a part of the auction process, Imbalance messages are published every second if there is any change from the previous second.

This description covers normal cases. For full detail on exception cases, see Rule 7.35.

Indicative Match Price Details

- The Indicative Match Price is the price that maximizes executable volume of auction-eligible shares, subject to Auction Collars.
- It includes the non-displayed quantity of Reserve Orders.
- If two or more prices maximize executable volume equally, in an effort to maintain continuity, the Indicative Match Price is whichever price is closest to the Reference Price.
- The final auction execution price is the Indicative Match Price at auction time.

Note: During an auction, in calculating the imbalance at a price point on the book, NYSE Arca and American consider the following to be an imbalance:

- Market orders
- Any interest whose price is at or better than the book price point

Imbalance Calculation

| AUCTION TYPE | DESCRIPTION |
|--|--|
| Early Opening Auction (O) | <p>Interest Included</p> <ol style="list-style-type: none"> Limit Orders designated for the Early Trading Session. During the last minute before the Early Opening Auction time, the non-displayed quantity of Reserve Orders designated for the Early Open Auction is included in the Matched Volume and Total Imbalance Volume. <p>Order Cancellation</p> <p>Orders can be cancelled at any time up to the conclusion of the auction.</p> <p>Reference Price</p> <ul style="list-style-type: none"> The Reference Price is normally the listing market's previous Official Closing Price. See Rule 7.35 for full detail. <p>Unexecuted session 1 eligible orders become eligible for the Early Session immediately upon conclusion of the Early Opening Auction.</p> |
| Core Opening Auction (M) and Re-Opening Auction (H) | <p>Interest Included</p> <ol style="list-style-type: none"> Limit, Market, MOO, LOO and Primary Peg orders During the last 5 seconds before the Core Opening Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume. <p>Order Cancellation</p> <p>Orders can be cancelled any time during the auction, except for MOO and LOO orders which can be cancelled only up to 1 minute before the conclusion of the auction.</p> <p>Reference Price</p> <p>The Reference Price is normally the midpoint of the NBBO. See Rule 7.35 for full detail.</p> |
| Closing Auction (C) | <p>Interest Included</p> <ol style="list-style-type: none"> Limit, Market, MOC, LOC and Primary Peg orders During the last minute before the Closing Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume. <p>Reference Price</p> <ul style="list-style-type: none"> The Reference Price is normally the Consolidated Tape last sale. <p>If the price closest to the Reference Price would trade through the exchange book, the indicative match price will be the best price available where no trade through occurs. See Rule 7.35 for full detail.</p> |

14.3 IMBALANCE MESSAGE PUBLICATION TIMES

For all markets, the initial publication of Symbol Index Mapping messages occurs shortly after system startup at approximately 12:15am ET.

Scheduled trading session hours on normal and early-close days for all NYSE markets can be found [here](#).

Regularly scheduled auctions occur at the following times. Trading halts and re-opens can occur anytime during any session. Trading halts can last from one session into the next.

All times are US Eastern Time

| DESCRIPTION | MARKET | NORMAL AUCTION PERIOD |
|-----------------------|------------------|------------------------------|
| Early Opening Auction | Arca | 3:30am - 4:00am ET |
| | American | 7:00am - 9:30am ET |
| Core Opening Auction | Arca American | 8:00am - 9:30am ET |
| | NYSE | 8:00am ET - the stock opens |
| Closing Auction | Arca American | 3:00pm - 4:00pm ET |
| | NYSE | 3:50pm ET - the stock closes |

During auction periods, Imbalance messages are published every second if there is any change from the last publication.

On early closing days for all ARCA and American, the Closing auction runs from 12:00pm to 1:00pm. For NYSE, the closing auction run from 12:50 until the stock closes.

APPENDIX B: Sample Scenarios For Integrated Feed

The following is a list of sample scenarios to illustrate the Integrated Feed.

| | SCENARIO | XDP 2.2 |
|----|---|----------------------------|
| 1 | Client adds an order | Add |
| 2 | Client adds an attributed order <i>Basic Add msg handles attribution</i> | Add(firmID) |
| 3 | Client deletes an order | Del |
| 4 | Client reduces the size of an order | Mod (pri,vol) |
| 5 | Client cancel-replace | Replace(pri,vol) |
| 6 | Hidden liquidity executes <i>New dedicated message type</i> | NonDisplayedTrade(pri,vol) |
| 7 | An order partially executes <i>All execution events handled by one msg type</i> | Exe(pri,vol) |
| 8 | An order fully executes | Exe(pri,vol) |
| 9 | An order executes (new price) | Exe(pri,vol) |
| 10 | Multiple orders exe (same price) | |
| | | Exe(pri,vol) |
| | | Exe(pri,vol) |
| | | ... |
| | | Exe(pri,vol) |
| 11 | a. add reserve to buy 1000, 100 lit | Add 100 to buy |
| | b. aggressor sells 400 | |
| | | Exe(pri,100) |
| | | NonDispTrd 300 |

| | | |
|----|--|-----------------|
| | | Add 100 to buy |
| 12 | a. add reserve to buy 1000, 500 lit | Add 500 to buy |
| | | |
| | b. aggressor sells 400 | Exe(pri,400) |
| | | Add 400 to buy |
| 13 | An order reprices (peg, SSR, LULD...) | Mod(pri) |
| 15 | a. Client adds order for 2500 | Add 2500 to buy |
| | b. 1000 routed away | Mod(vol=1500) |
| | c. 1000 canceled back | Mod (vol=2500) |
| 16 | a. Client adds order for 2500 | Add 2500 to buy |
| | b. 2500 routed away | Del |
| | c. 2500 canceled back | Add 2500 to buy |

APPENDIX C: Product IDs

Refresh and Retransmission Request messages must specify a Product ID. The correct product IDs for the Integrated Feeds:

| EXCHANGE | PRODUCT ID | DESCRIPTION |
|---------------|------------|-------------------------------|
| NYSE | 11 | NYSE Integrated Feed |
| NYSE American | 59 | NYSE American Integrated Feed |
| NYSE National | 109 | NYSE National Integrated Feed |
| NYSE Arca | 157 | NYSE Arca Integrated Feed |
| NYSE Chicago | 209 | NYSE Chicago Integrated Feed |