



Document title

XDP TRADES CLIENT SPECIFICATION

NYSE TRADES, NYSE ARCA TRADES, NYSE MKT TRADES

Version

1.7a

Date

2 April, 2015

© 2015 NYSE. All rights reserved. No part of this material may be copied, photocopied or duplicated in any form by any means or redistributed without the prior written consent of NYSE. All third party trademarks are owned by their respective owners and are used with permission. NYSE and its affiliates do not recommend or make any representation as to possible benefits from any securities or investments, or third-party products or services. Investors should undertake their own due diligence regarding securities and investment practices. This material may contain forward-looking statements regarding NYSE and its affiliates that are based on the current beliefs and expectations of management, are subject to significant risks and uncertainties, and which may differ from actual results. NYSE does not guarantee that its products or services will result in any savings or specific outcome. All data is as of April 2, 2015. NYSE disclaims any duty to update this information.

PREFACE

DOCUMENT HISTORY

The following table provides a description of all changes to this document.

VERSION NO.	DATE	CHANGE DESCRIPTION
0.1	09/29/10	Initial version
0.2	10/21/10	Revised based on development feedback
0.3	11/9/10	Revised based on QA feedback
0.4	12/3/10	Correction to the SourceTime on the Stock Summary Message
1.0a	12/15/10	Initial distribution
1.0b	2/17/11	Changes to Symbol Index Map message Addition of the vendor mapping message Addition of the LiquidityFlag
1.0c	3/21/11	Clarification on the vendor mapping message
1.0d	3/23/11	Addition of the Ticker Designation field to the FTP symbol mapping file.
1.0e	9/29/11	– Split original spec into two and created a new “XDP Common Client Spec” – Removed the reference to the line handler – Format changes throughout
1.1	01/11/12	Addition of chapter on Product ID.
1.2	03/16/12	Added a value of ‘0x04’ (No Liquidity added) to the ‘LiquidityIndicatorFlag’ field in Table 4 (Trade Message Fields).
1.3	05/16/2012	Changed name to NYSE MKT throughout
	08/14/2012	Rebranded with new NYSE Technologies template
1.4	06/14/2013	Amended section 2. Trade Message – Msg Type ‘220’ Ask Price, Ask Volume, Bid Price, Bid Volume
1.5	07/12/2013	Overview amended. Updates to section 2.1 Message Structure – Ask/Bid Price/Volume fields
1.6	09/12/2013	Addition of ‘9’ – Corrected Last Sale Price in Table 11, TradeCond2. Updated the description “I” in Table 11, TradeCon4 to Odd Lot Trade
1.7	9/12/2013	Market-specific notes on Msg Type ‘220’ and ‘222’: Ask Price, Ask Volume, Bid Price, Bid Volume, Condition 3
1.7a	04/02/2015	Corrected content of Liquidity Indicator field for NYSE/MKT

REFERENCE MATERIAL

The following lists the associated documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- [SFTI US Technical Specification](#)
- [SFTI US Customer Guide](#)
- [NYSE Symbology](#)

CONTACT INFORMATION

Service Desk

- Telephone: +1 212 383 3640 (International)
- Telephone: 866 873 7422 (Toll free, US only)
- Email: service.desk@nyx.com

FURTHER INFORMATION

For additional product information please visit, <http://www.nyxdata.com>

For updated capacity figures, visit our capacity pages at: <http://www.nyxdata.com/capacity>

For details of IP addresses, visit our IP address pages at: <http://www.nyxdata.com/ipaddresses>

For a full glossary, visit: <http://www.nyxdata.com/glossary/>

CONTENTS

1.	TRADES INFORMATION	5
1.1	Overview	5
1.2	Publication Times.....	5
1.3	Control Message Types	5
2.	TRADE MESSAGE – MSG TYPE ‘220’	7
2.1	Message Structure	7
3.	TRADE CANCEL OR BUST MESSAGE – MSG TYPE ‘221’	10
3.1	Message Structure	10
4.	TRADE CORRECTION MESSAGE – MSG TYPE ‘222’	11
4.1	Message Structure	11
5.	STOCK SUMMARY MESSAGE – MSG TYPE ‘223’	14
5.1	Message Structure	14
6.	PRODUCT ID	15

1. TRADES INFORMATION

1.1 OVERVIEW

This real-time low latency product provides trade data for all traded securities on respective NYSE exchanges. This trade data is intended for algorithmic traders and anyone who uses applications which require a direct unconsolidated feed and timestamps provided directly from the Exchange matching engines.

1.2 PUBLICATION TIMES

Table 1 Normal Trading Days (All times are EST)

MSGTYPE	DESCRIPTION	NYSE / NYSE MKT	NYSE ARCA
220	Trade Message	9:30am – 4:00pm	4:00am– 8:00pm
221	Trade Cancel or Bust Message	9:30am – 4:00pm	4:00am– 8:00pm
222	Trade Correction Message	9:30am – 4:00pm	4:00am– 8:00pm
223	Stock Summary Message	9:30am – 4:00pm	4:00am– 8:00pm

Table 2 Early Closing Days (All times are EST)

MSGTYPE	DESCRIPTION	NYSE / NYSE MKT	NYSE ARCA
220	Trade Message	9:30am – 1:00pm	4:00am – 1:00pm
221	Trade Cancel or Bust Message	9:30am – 1:00pm	4:00am – 1:00pm
222	Trade Correction Message	9:30am – 1:00pm	4:00am – 1:00pm
223	Stock Summary Message	9:30am – 1:00pm	4:00am – 1:00pm

1.3 CONTROL MESSAGE TYPES

Table 3 Control Message Types used in the Data Feed

MSGTYPE	DESCRIPTION	NYSE	NYSE MKT	NYSE ARCA
1	Sequence Number Reset	x	x	x
2	Time Reference Message	x	x	x
3	Symbol Index Mapping	x	x	x
4	Vendor Mapping Message	x	x	x
5	Option Series Index Mapping			
10	Retransmission Request Message	x	x	x
11	Request Response Message	x	x	x
12	Heartbeat Response Message	x	x	x

MSGTYPE	DESCRIPTION	NYSE	NYSE MKT	NYSE ARCA
13	Symbol Index Mapping Request Message	X	X	X
15	Refresh Request Message			
31	Message Unavailable	X	X	X
32	Symbol Clear	X	X	X
33	Trading Session Change	X	X	X
34	Security Status Message	X	X	X
35	Refresh Header Message			

2. TRADE MESSAGE – MSG TYPE ‘220’

The trade messages provided on the Trades feed are the same Trade messages provided to the CTA.

2.1 MESSAGE STRUCTURE

Table 4 describes the body fields of a Trade message, MsgType ‘220’.

Table 4 Trade Message Fields

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary Integer	Size of the message: <ul style="list-style-type: none"> ■ NYSE Trades – 54 bytes ■ NYSE Arca Trades – 54 bytes ■ NYSE MKT Trades – 54 bytes
Msg Type	2	2	Binary Integer	This field identifies the type of message: <ul style="list-style-type: none"> ■ ‘220’ – Trade Message
SourceTime	4	4	Binary Integer	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH).
SourceTimeNS	8	4	Binary Integer	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH)
SymbolIndex	12	4	Binary Integer	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary Integer	This field contains the symbol sequence number.
TradeID	20	4	Binary Integer	The TradeID identifies a unique Trade execution.
Price	24	4	Binary Integer	This field specifies the price of the order. Use the Price scale from the symbol mapping index.
Volume	28	4	Binary Integer	Volume of the trade in actual shares
TradeCond1	32	1	ASCII Char	This field contains a settlement related conditions. Valid values: <ul style="list-style-type: none"> ■ ‘@’ - Regular Sale ■ ‘C’ – Cash ■ ‘N’– Next Day Trade

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ 'R' – Seller
TradeCond2	33	1	ASCII Char	<p>This field contains a the Reason for Trade Through Exemptions. Valid values:</p> <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'F' – Intermarket Sweep Order ■ 'O' – Market Center Opening Trade ■ '4' – Derivatively Priced ■ '5' – Market Center Reopening Trade ■ '6' – Market Center Closing Trade ■ '9' – Corrected Last Sale Price
TradeCond3	34	1	ASCII Char	<p>This field contains extended hours/sequencing related conditions. Valid values:</p> <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'L' – Sold Last ■ 'T' – Extended Hours Trade ■ 'U' – Extended Hours Sold (Out of Sequence) ■ 'Z' – Sold ■ Note: Condition L is applicable for NYSE and NYSE MKT only. Conditions T, and U are applicable for NYSE Arca only. Condition Z is applicable to all.
TradeCond4	35	1	ASCII Char	<p>This field contains the SRO Required Detail. Valid values:</p> <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ '0x20' – N/A ■ 'B' – Average Price Trade ■ 'E' – Automatic Execution ■ 'H' – Price Variation Trade ■ 'I' – Odd Lot Trade ■ 'K' – Rule 127 (NYSE only) or Rule 155 (NYSE MKT Only) ■ 'M' – Official Closing Price

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ 'P' – Prior Reference Price ■ 'Q' – Official Open Price ■ 'V' – Stock-Option Trade ■ 'X' – Cross Trade
Trade Through Exempt	36	1	ASCII Char	<ul style="list-style-type: none"> ■ 'X' – 611 Trade through Exempt ■ '0x20' – N/A
LiquidityIndicatorFlag	37	1	Binary Integer	<p>This field indicates which side added liquidity to the trade. Bit Shift values:</p> <ul style="list-style-type: none"> ■ 0x01 Buy Side ■ 0x02 Sell Side ■ 0x04 No Liquidity added <p>NYSE/NYSE MKT - This field is not populated and is defaulted to '0x20'.</p>
Ask Price	38	4	Binary Integer	<p>This field specifies the Ask price of the last quote at the time of the trade. Use the Price scale from the symbol mapping index.</p> <p>NYSE/NYSE MKT - This field is not populated and is defaulted to '0'.</p>
Ask Volume	42	4	Binary Integer	<p>This field contains the Ask size of the last quote at the time of the trade.</p> <p>NYSE/NYSE MKT - This field is not populated and is defaulted to '0'.</p>
Bid Price	46	4	Binary Integer	<p>This field specifies the Bid price of the last quote at the time of the trade. Use the Price scale from the symbol mapping index.</p> <p>NYSE/NYSE MKT - This field is not populated and is defaulted to '0'.</p>
Bid Volume	50	4	Binary Integer	<p>This field contains the Bid size of the last quote at the time of the trade.</p> <p>NYSE/NYSE MKT - This field is not populated and is defaulted to '0'.</p>

3. TRADE CANCEL OR BUST MESSAGE – MSG TYPE ‘221’

3.1 MESSAGE STRUCTURE

Table 5 describes the body fields of a Trade Cancel or Bust message, MsgType ‘221’.

Table 5 Trade Cancel or Bust Message Fields

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary Integer	Size of the message: <ul style="list-style-type: none"> ■ NYSE Trades – 24 Bytes ■ NYSE Arca Trades – 24 bytes ■ NYSE MKT Trades – 24 bytes
Msg Type	2	2	Binary Integer	This field identifies the type of message: <ul style="list-style-type: none"> ■ ‘221 – Trade Cancel or Bust Message
SourceTime	4	4	Binary Integer	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH).
SourceTimeNS	8	4	Binary Integer	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH).
SymbolIndex	12	4	Binary Integer	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary Integer	This field contains the symbol sequence number.
OriginalTradeID	20	4	Binary Integer	<p>Note: NYSE / NYSE MKT market – Pre UTP Migration</p> <p>This field is the Symbol sequence number of the original trade marked as a correction by this message.</p> <p>Post UTP and NYSE Arca</p> <p>This field is the Original TradeID of the trade.</p>

4. TRADE CORRECTION MESSAGE – MSG TYPE ‘222’

4.1 MESSAGE STRUCTURE

Table 6 describes the body fields of a Trade Correction message, MsgType ‘222’.

Table 6 Trade Correction Message Fields

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary Integer	Size of the message: <ul style="list-style-type: none"> ■ NYSE Trades – 41 Bytes ■ NYSE Arca Trades – 41 bytes ■ NYSE MKT Trades - 41 bytes
Msg Type	2	2	Binary Integer	This field identifies the type of message: <ul style="list-style-type: none"> ■ ‘222 – Trade Correction Message
SourceTime	4	4	Binary Integer	This field specifies the time when the msg was generated in the order book. The number represents the number of seconds in UTC time (since EPOCH).
SourceTimeNS	8	4	Binary Integer	This field specifies the number represents the nanosecond portion of UTC time (since EPOCH).
SymbolIndex	12	4	Binary Integer	This field identifies the numerical representation of the symbol.
SymbolSeqNum	16	4	Binary Integer	This field contains the symbol sequence number.
OriginalTradeID	20	4	Binary Integer	<p>Note: NYSE / NYSE MKT market – Pre UTP Migration</p> <p>This field is the Symbol sequence number of the original trade marked as a correction by this message.</p> <p>Post UTP and NYSE Arca</p> <p>This field is the Original TradeID of the trade.</p>
TradeID	24	4	Binary Integer	The TradeID identifies a unique Trade execution.
Price	28	4	Binary Integer	This field specifies the price of the order. Use the Price scale from the symbol mapping index.

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Volume	32	4	Binary Integer	Volume of the trade in actual shares.
TradeCond1	36	1	ASCII Char	This field contains a settlement related conditions. Valid values: <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ 'C' – Cash ■ 'N' – Next Day Trade ■ 'R' – Seller
TradeCond2	37	1	ASCII Char	This field contains a the Reason for Trade Through Exemptions. Valid values: <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'F' – Intermarket Sweep Order ■ 'O' – Market Center Opening Trade ■ '4' – Derivatively Priced ■ '5' – Market Center Reopening Trade ■ '6' – Market Center Closing Trade
TradeCond3	38	1	ASCII Char	This field contains extended hours/sequencing related conditions. Valid values: <ul style="list-style-type: none"> ■ '0x20' – N/A ■ 'L' – Sold Last ■ 'T' – Extended Hours Trade ■ 'U' – Extended Hours Sold (Out of Sequence) ■ 'Z' – Sold ■ Note: Condition L is applicable for NYSE and NYSE MKT only. Conditions T, and U are applicable for NYSE Arca only. Condition Z is applicable to all.
TradeCond4	39	1	ASCII Char	This field contains the SRO Required Detail. Valid values: <ul style="list-style-type: none"> ■ '@' - Regular Sale ■ '0x20' – N/A ■ 'B' – Average Price Trade

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
				<ul style="list-style-type: none"> ■ 'E' – Automatic Execution ■ 'H' – Price Variation Trade ■ 'I' – CAP Election Trade ■ 'K' – Rule 127 (NYSE only) or Rule 155 (NYSE MKT Only) ■ 'M' – Official Closing Price ■ 'P' – Prior Reference Price ■ 'Q' – Official Open Price ■ 'V' – Stock-Option Trade ■ 'X' – Cross Trade
Trade Through Exempt	40	1	ASCII Char	<ul style="list-style-type: none"> ■ 'X' – 611 Trade through Exempt ■ '0x20' – N/A

5. STOCK SUMMARY MESSAGE – MSG TYPE ‘223’

The stock summary message is sent every 1 minute on a separate channel from the main trades feed. The message will be sent out every 1 minute regardless if there is a change to a particular value or not. In the event, there is no volume on the stock the trade summary message will not be disseminated.

5.1 MESSAGE STRUCTURE

Table 7 describes the body fields of a Stock Summary message, MsgType ‘223’.

Table 7 Stock Summary Message Fields

FIELD NAME	OFFSET	SIZE (BYTES)	FORMAT	DESCRIPTION
Msg Size	0	2	Binary Integer	Size of the message: <ul style="list-style-type: none"> ■ NYSE Trades – 36 Bytes ■ NYSE Arca Trades – 36 bytes ■ NYSE MKT Trades – 36 bytes
Msg Type	2	2	Binary Integer	This field identifies the type of message: <ul style="list-style-type: none"> ■ ‘223 – Stock Summary Message
SourceTime	4	4	Binary Integer	This field specifies the time when the msg was generated. The number represents the number of seconds in UTC time (since EPOCH).
SourceTimeNS	8	4	Binary Integer	This field specifies the nanosecond portion of UTC time (since EPOCH).
SymbolIndex	12	4	Binary Integer	This field identifies the numerical representation of the symbol.
HighPrice	16	4	Binary Integer	This field specifies the High price of the stock for the day. Use the Price scale from the symbol mapping index.
LowPrice	20	4	Binary Integer	This field specifies the Low price of the stock for the day. Use the Price scale from the symbol mapping index.
Open	24	4	Binary Integer	This field specifies the Opening price of the stock for the day. Use the Price scale from the symbol mapping index.
Close	28	4	Binary Integer	This field specifies the Closing price of the stock for the day. Use the Price scale from the symbol mapping index.
TotalVolume	32	4	Binary Integer	This field specifies the cumulative volume for the stock throughout the day.

6. PRODUCT ID

Table 8 describes the Product IDs associated with NYSE, NYSE MKT and NYSE Arca XDP Trades.

Table 8 Product ID

EXCHANGE	PRODUCT ID	DESCRIPTION
NYSE	4	NYSE Trades
NYSE MKT	53	NYSE MKT Trades
NYSE Arca	153	NYSE Arca Trades